AUTOGREEN
TYRES

BEST CHOICE INTERNATIONAL TRADE CO., LTD.

Third Floor of North Anhua Mansion, No.8 Yinghua West Street,
Chaoyang District, Beijing, 100029, China

Facebook:Autogreen tyre

E-mail:info@chinese tyre.com

Fax:86-10-64447978

Tel:86-10-64449145

AUTOGREEN
TYRES



A Safe Journey Forward

www.autogreen.com

CONTENTS

01 *PASSENGER CAR & ULTRA HIGH PERFORMANCE TYRE*

SPORTCHASER SC2
TOURCHASER TC1
SUPERSPORTCHASER SSC5

09 *SUV & LIGHT TRUCK TYRE*

SPORT CRUISER SC6
SUPERSPORTPIONEER SSP8
TERRAIN CRUISER A/T TC9

17 *COMMERCIAL VAN TYRE*

SMART CRUISER SC7

19 *RUNFLAT TYRE*

SUPERSPORTCHASER SSC5

21 *ALL SEASON TYRE*

ALL SEASON VERSAT AS2

23 *WINTER TYRE*

WINTER-MAX U1 WL2
WINTER-MAX A1 WL5
WINTERCROSS WL6
WINTER FORCE WL7
WINTER-MAX S1 WS1

33 *LIMITED WARRANTY*

SPORT CHASER

SPORTCHASER SC2

Function Description

Speed rate：T/H/V/W

Section width：165-225

Rim：13′-16′

Ratio：50-70

Wet Grip- A

Sport Chaser is a performance tyre pattern for family passenger cars. Its environment friendly designed tread pattern,lowers rolling resistance and noise emission, provides enhanced comfortable driving experience and sufficient sense of safety.

Size	Load Index &Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
175/70R13	82T		500/ A/ A	E	A	66	)	6924590220010
175/70R13	82H		500/ A/ A	E	A	66	)	6924590220027
175/70R14	84T		500/ A/ A	E	A	66	)	6924590220034
195/70R14	91T		500/ A/ A	C	A	67	)	6924590220041
195/70R14	91H		500/ A/ A	C	A	67	)	6924590220058
175/65R14	82T		500/ A/ A	E	A	66	)	6924590220065
175/65R14	82H		500/ A/ A	E	A	66	)	6924590220072
185/65R14	86H		500/ A/ A	E	A	66	)	6924590220089
185/60R14	82H		500/ A/ A	E	A	66	)	6924590220096
185/65R15	88T		500/ A/ A	E	A	66	)	6924590220102
185/65R15	88H		500/ A/ A	E	A	66	)	6924590220119
195/65R15	91H		500/ A/ A	C	A	67	)	6924590220126
195/65R15	91V		500/ A/ A	C	A	67	)	6924590220133
205/65R15	94H		500/ A/ A	C	A	67	)	6924590220140
205/65R15	94V		500/ A/ A	C	A	67	)	6924590220157
215/65R15	96H		500/ A/ A	C	A	67	)	6924590220164
215/65R15	100H	XL	500/ A/ A	C	A	67	)	6924590220171
185/60R15	84H		500/ A/ A	E	A	66	)	6924590220188
185/60R15	88H	XL	500/ A/ A	E	A	66	)	6924590220195
195/60R15	88H		500/ A/ A	E	A	67	)	6924590220201
195/60R15	88V		500/ A/ A	E	A	67	)	6924590220218
205/60R15	91H		500/ A/ A	C	A	67	)	6924590220225
205/60R15	91V		500/ A/ A	C	A	67	)	6924590220232
* 165/55R15	75V		500/ A/ A					6924590225022
185/55R15	82H		500/ A/ A	C	A	67	)	6924590223592
185/55R15	82V		500/ A/ A	E	A	66	)	6924590220249
205/65R16	95H		500/ A/ A	C	A	67	)	6924590220256
205/65R16	95V		500/ A/ A	C	A	67	)	6924590220263
215/65R16	98H		500/ A/ A	C	A	67	)	6924590220270
* 195/60R16	89H		500/ A/ A					6924590225039
205/60R16	92H		500/ A/ A	C	A	67	)	6924590220287
205/60R16	92V		500/ A/ A	C	A	67	)	6924590220294
215/60R16	95H		500/ A/ A	C	A	67	)	6924590220300
215/60R16	95V		500/ A/ A	C	A	67	)	6924590220317
225/60R16	98H		500/ A/ A	C	A	67	)	6924590220324
* 185/55R16	83V		500/ A/ A					6924590225046
205/55R16	91V		500/ A/ A	C	A	67	)	6924590220331
205/55ZR16	91W		500/ A/ A	C	A	67	)	6924590223608
* 195/50R16	88V	XL	500/ A/ A					6924590225053

★ Represents new specifications

Product Feature	Circumferential straight center-line and shoulder area	Optimum casing profile & special tread compound	Blocks with variable dimensions & variable angles
Effect	Enhancing handling and stability at high speed	Absorbing shocks and minimizes the effect of road surface irregularities,and Improves wet traction	Better road holding,lower noise
Customer Benefit	High speed safety	Comfort & safety	Comfort & quite ride

TOURCHASER

TOURCHASER TC1

Function Description

Speed rate：T/H

Section width：155-185

Rim：13′-15′

Ratio：60-80

Economical tyre with low noise and good wet grip performance tyre pecifically developed for family passenger cars.

TourChaser Tc1 is a tyre designed to drive comfortable and fuel economical thanks to its low rolling resistance on the road.

Function Description



Product Feature

- Seal lateral grooves of shoulder can reduce noise.
- Irregular pitch design provides comfort and quietness.
- Three wide grooves design， ensuring the tread pattern groove feature, improving the stability of high-speed handling.
- Two centre ribs and reinforced grooves help improve tyre rigidity for excellent handling. Effectively reduces rolling resistance and improves fuel economy.

Size	Load Index &Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
155/80R13	79T		420/A/A	E	C	69	))	6924590224308
155/70R13	75T		420/A/A	E	C	69	))	6924590224315
165/70R13	83T	XL	420/A/A	E	C	69	))	6924590224322
185/70R13	86T		420/A/A	E	C	69	))	6924590224339
155/65R13	73T		420/A/A	E	C	69	))	6924590224346
165/65R13	77T		420/A/A	E	C	69	))	6924590224353
165/70R14	81T		420/A/A	E	C	69	))	6924590223905
185/70R14	88T		420/A/A	E	C	69	))	6924590223912
155/65R14	75T		420/A/A	E	C	69	))	6924590224360
165/65R14	83T	XL	420/A/A	E	C	69	))	6924590224377
165/60R14	75H		420/A/A	E	C	69	))	6924590223929
175/65R15	84T		420/A/A	E	C	69	))	6924590224384

SUPERSPORTCHASER

Function Description

Speed rate：V/W/Y

Section width：195-275

Rim：15′-20′

Ratio：30-55

SUPERSPORTCHASER

SSC5

SuperSport Chaser is a ultra high performance tyre for sedans.The asymmetric tread pattern provides superior handling ability on both dry and wet road.The”mute tread” design provides lowest noise level. It is a right choice for drivers who want both handling performance and driving comfort.

SUPERSPORT CHASER



Product Feature	Asymmetric pattern design Outside with circumferential straight groove Inside rug groove of shoulder area	High wet grip compound	High stiffness polyester material
Effect	high speeds handling Performance Draining water away from block surface	Maximun resistance to aquaplaning	Improvement for traction & stability
Customer Benefit	High speed safety	Excellent wet handing, traction and acceleration capability	Excellent traction and acceleration capability

Size	Load Index &Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
195/55R15	85V		320/ A/ A	E	B	71	))	6924590220348
195/50R15	82V		320/ A/ A	E	B	71	))	6924590220355
195/55R16	87V		320/ A/ A	E	B	71	))	6924590223158
195/55ZR16	87W		320/ A/ A	E	B	71	))	6924590223165
205/55ZR16	91W		320/ A/ A	C	B	71	))	6924590220362
205/55ZR16	94W	XL	320/ A/ A	C	B	71	))	6924590220379
215/55ZR16	97W	XL	320/ A/ A	C	B	71	))	6924590220386
205/50ZR16	87W		320/ A/ A	E	B	71	))	6924590220393
195/45R16	84V	XL	320/ A/ A	E	B	71	))	6924590223615
195/45ZR16	84W	XL	320/ A/ A	E	B	71	))	6924590220409
205/45ZR16	87W	XL	320/ A/ A	E	B	71	))	6924590220416
★ 205/55ZR17	95W	XL	320/ A/ A					6924590225060
215/55R17	98V	XL	320/ A/ A	C	B	71	))	6924590220423
215/55ZR17	98W	XL	320/ A/ A	C	B	71	))	6924590220430
225/55ZR17	101W	XL	320/ A/ A	C	B	72	))	6924590220447
235/55ZR17	99W		320/ A/ A	C	B	71	))	6924590220454
205/50ZR17	93W	XL	320/ A/ A	C	B	71	))	6924590220461
215/50ZR17	95W	XL	320/ A/ A	C	B	71	))	6924590220478
225/50ZR17	98W	XL	320/ A/ A	C	B	72	))	6924590220485
235/50ZR17	96W		320/ A/ A	C	B	71	))	6924590220492
205/45ZR17	88W	XL	320/ A/ A	E	B	71	))	6924590220508
215/45ZR17	91W	XL	320/ A/ A	C	B	71	))	6924590220515
225/45ZR17	94W	XL	320/ A/ A	C	B	71	))	6924590220522
235/45ZR17	97W	XL	320/ A/ A	C	B	72	))	6924590220539
205/40ZR17	84W	XL	320/ A/ A	E	B	71	))	6924590220546
225/50ZR18	95W		320/ A/ A	C	B	71	))	6924590220553
235/50ZR18	97W		320/ A/ A	C	B	71	))	6924590220560
225/45ZR18	95W	XL	320/ A/ A	C	B	72	))	6924590220577
235/45ZR18	98W	XL	320/ A/ A	C	B	72	))	6924590220584
235/45ZR18	98Y	XL	320/ A/ A	C	B	72	))	6924590223622
245/45ZR18	100W	XL	320/ A/ A	C	B	72	))	6924590220591
★ 255/45ZR18	103Y	XL	320/ A/ A					6924590225077
225/40ZR18	92W	XL	320/ A/ A	C	B	72	))	6924590220607
235/40ZR18	95W	XL	320/ A/ A	C	B	72	))	6924590220614
245/40ZR18	97W	XL	320/ A/ A	C	B	72	))	6924590220621
245/40ZR18	97Y	XL	320/ A/ A	C	B	72	))	6924590220638
215/35ZR18	84W	XL	320/ A/ A	E	B	71	))	6924590220645
★ 225/45ZR19	96W	XL	320/ A/ A					6924590225183
★ 245/45ZR19	102Y	XL	320/ A/ A					6924590225084
★ 225/40ZR19	93Y	XL	320/ A/ A					6924590225091
★ 235/40ZR19	96Y	XL	320/ A/ A					6924590225107
★ 245/40ZR19	98Y	XL	320/ A/ A					6924590225114
225/35ZR19	88W	XL	320/ A/ A	E	B	72	))	6924590220652
235/35ZR19	91W	XL	320/ A/ A	C	B	72	))	6924590220669
245/35ZR19	93W	XL	320/ A/ A	C	B	72	))	6924590220676
★ 255/35ZR19	96Y	XL	320/ A/ A					6924590225121
★ 265/35ZR19	98Y	XL	320/ A/ A					6924590225138
★ 275/35ZR19	100Y	XL	320/ A/ A					6924590225145
★ 255/45ZR20	105W	XL	320/ A/ A					6924590225190
225/35ZR20	90W	XL	320/ A/ A	E	B	72	))	6924590220683
225/35ZR20	90Y	XL	320/ A/ A	E	B	72	))	6924590220690
245/35ZR20	91Y		320/ A/ A	C	B	71	))	6924590220706
245/35ZR20	95Y	XL	320/ A/ A	C	B	72	))	6924590220713
255/35ZR20	97W	XL	320/ A/ A	C	B	73	))	6924590220720
255/35ZR20	97Y	XL	320/ A/ A	C	B	73	))	6924590220737
225/30ZR20	85W	XL	320/ A/ A	E	B	72	))	6924590220744
235/30ZR20	88W	XL	320/ A/ A	E	B	72	))	6924590220751
235/30ZR20	88Y	XL	320/ A/ A	E	B	72	))	6924590220768

★ Represents new specifications

SPORTCRUISER

SPORT CRUISER

SC6

Function Description

Speed rate：T/H/V/W

Section width：205-285

Rim：15′-20′

Ratio：40-75

Sport Cruiser is a urban SUV tyre for highway and city roads.Solid circu-mferential center rib enhances high speed driving response and straight line stability.
The staggered pattern with variable-pitch reduces tread noise and provides more traction wear.
The large stabilized shoulder blocks with small sipes improve traction and provide precise control on both dry and wet roads.

SPORT CRUISER

Product Feature	Circumferential straight center-line	4 wide grooves	Blocks with variable dimensions & variable angles and lateral sipes
Effect	Providing quick response to maneuvers and better balance on the road	Helping to increase wet handling, reduces the risk of aquaplaning	For better road holding, lower noise
Customer Benefit	High speed safety	Wet grip and safety	Comfort & quiet drive

Size	Load Index &Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
215/75R15	100T		420/ A/ A	E	C	70	))	6924590220775
225/75R15	102T		420/ A/ A	E	C	70	))	6924590220782
235/75R15	105T		420/ A/ A	E	C	70	))	6924590220799
205/70R15	96H		420/ A/ A	E	C	70	))	6924590220812
215/70R15	98T		420/ A/ A	E	C	70	))	6924590220829
245/75R16	109H		420/ A/ A	E	C	71	))	6924590220850
265/75R16	116H		420/ A/ A	E	C	71	))	6924590220874
215/70R16	100H		420/ A/ A	E	C	70	))	6924590220898
225/70R16	103H		420/ A/ A	E	C	70	))	6924590220911
235/70R16	106H		420/ A/ A	E	C	70	))	6924590220935
245/70R16	107H		420/ A/ A	E	C	71	))	6924590220959
255/70R16	111H		420/ A/ A	E	C	71	))	6924590220973
265/70R16	112H		420/ A/ A	E	C	71	))	6924590220997
235/65R16	103H		420/ A/ A	E	C	70	))	6924590221017
235/60R16	100V		420/ A/ A	E	C	70	))	6924590221031
245/70R17	110T		420/ A/ A	E	C	71	))	6924590221048
265/70R17	115T		420/ A/ A	E	C	71	))	6924590221055
215/65R17	99T		420/ A/ A	E	C	70	))	6924590221079
225/65R17	102H		420/ A/ A	E	C	70	))	6924590221086
235/65R17	104H		420/ A/ A	E	C	70	))	6924590221093
245/65R17	107H		420/ A/ A	E	C	71	))	6924590221109
255/65R17	110T		420/ A/ A	E	C	71	))	6924590221116
265/65R17	112T		420/ A/ A	E	C	71	))	6924590221123
265/65R17	112H		420/ A/ A	E	C	71	))	6924590221130
215/60R17	96H		420/ A/ A	E	C	70	))	6924590224261
225/60R17	99V		420/ A/ A	E	C	70	))	6924590221154
235/60R17	102H		420/ A/ A	E	C	70	))	6924590221161
235/60R17	102V		420/ A/ A	E	C	70	))	6924590221178
265/65R18	112T		420/ A/ A	E	C	71	))	6924590221185
275/65R18	114T		420/ A/ A	E	C	71	))	6924590221192
225/60R18	100H		420/ A/ A	E	C	70	))	6924590221208
235/60R18	107V	XL	420/ A/ A	E	C	70	))	6924590221215
245/60R18	105H		420/ A/ A	E	C	71	))	6924590221222
265/60R18	110H		420/ A/ A	E	C	71	))	6924590221239
★ 215/55R18	99V	XL	420/ A/ A					6924590225152
225/55R18	98V		420/ A/ A	E	C	70	))	6924590223196
235/55R18	100V		420/ A/ A	E	C	70	))	6924590221253
255/55R18	109V	XL	420/ A/ A	E	C	71	))	6924590221260
★ 225/55R19	99V		420/ A/ A					6924590225169
235/55R19	101V		420/ A/ A	E	C	70	))	6924590221277
★ 235/50R19	99V		420/ A/ A					6924590225176
275/60R20	114H		420/ A/ A	E	C	72	))	6924590221284
275/60R20	114V		420/ A/ A	E	C	72	))	6924590221291
275/55R20	117H	XL	420/ A/ A	E	C	72	))	6924590221307
275/55R20	117V	XL	420/ A/ A	E	C	72	))	6924590221314
265/50R20	111V	XL	420/ A/ A	E	C	71	))	6924590221321
285/50R20	112V		420/ A/ A	E	C	72	))	6924590221338
285/50R20	116V	XL	420/ A/ A	E	C	72	))	6924590221345
245/45ZR20	103W	XL	420/ A/ A	E	C	71	))	6924590221352
275/45R20	110V	XL	420/ A/ A	E	C	72	))	6924590221369
275/40R20	106V	XL	420/ A/ A	E	C	72	))	6924590223376
275/40ZR20	106W	XL	420/ A/ A	E	C	72	))	6924590221383
275/40ZR20	106Y	XL	420/ A/ A	E	C	72	))	6924590223639

★ Represents new specifications

SUPERSPORTPIONEER

SuperSportPioneer

SSP8

Function Description

Speed rate: H /V/W

Section width: 235-305

Rim: 18'-26'

Ratio: 25-60

Directional pattern specially designed for refitted vehicle.Wide tread and large shoulder blocks provide outstanding handling performance and stability.
Small grooves within pattern blocks reduce rigidity and enhance grip performance,which will assure your high speed safety.
Wide and deep transverse grooves with bamboo type longitudinal rib design enhance control performance and provide perfect handling performance.

Product Feature	Wide tread and the large shoulder blocks	The small grooves within the pattern blocks	Wide and deep transverse grooves with bamboo type longitudinal rib design
Effect	Provide outstanding control performance	Reduce the rigidity difference between each pattern blocks and enhance grip performance	Enhance the control performance
Customer Benefit	Drive stability	High speed safety	Perfect handling

Size	Load Index & Speed Rate	/XL	UTQG	UPC
265/60R18	110H		420/ A/ A	6924590224278
275/55R20	117H	XL	420/ A/ A	6924590224285
265/50R20	111V	XL	420/ A/ A	6924590224292
305/45R22	118V	XL	420/ A/ A	6924590222922
265/40R22	106V	XL	420/ A/ A	6924590222953
305/40R22	114V	XL	420/ A/ A	6924590222915
265/35R22	102V	XL	420/ A/ A	6924590222960
285/35R22	106V	XL	420/ A/ A	6924590222946
235/30ZR22	90W	XL	420/ A/ A	6924590222991
245/30ZR22	92W	XL	420/ A/ A	6924590222984
255/30ZR22	95W	XL	420/ A/ A	6924590222908
265/30ZR22	97W	XL	420/ A/ A	6924590222977
295/25ZR22	97W	XL	420/ A/ A	6924590222939
295/35R24	110V	XL	420/ A/ A	6924590223011
305/35R24	112V	XL	420/ A/ A	6924590223004
255/30ZR24	97W	XL	420/ A/ A	6924590223042
275/30ZR24	101W	XL	420/ A/ A	6924590223028
275/25ZR24	96W	XL	420/ A/ A	6924590223035
295/30ZR26	107W	XL	420/ A/ A	6924590223066
305/30ZR26	109W	XL	420/ A/ A	6924590223059

TERRAIN CRUISER A/T

TERRAIN CRUISER A/T

TC9

Function Description

Speed rate: Q/R/S/T

Section width: 215-285

Rim: 15′-18′

Ratio: 65-85

Terrain Cruiser is premium On-/ Off-Road All-Terrain tyre developed for light truck drivers looking for combine on-road competence with off-road versatility.

Product Feature	Staggered and big shoulder blocks	Strong carcass & jointless mono-strand bead bundle	Deep-biting and self-cleaning tread lugs design
Effect	Extra traction in sand, mud, loose soil and snow	Better reliable operation on rough terrain	Better traction under extreme conditions
Customer Benefit	Excellent traction on and off-road	Safety and excellent traction	Extra bite on rough terrain

Size	Load Index & Speed Rate	Load Range	Ply Rating	UTQG	UPC
LT31x10.50R15	109Q	C	6PR		6924590221390
LT31x10.50R15	109S	C	6PR		6924590221406
LT235/75R15	104/101S	C	6PR		6924590221413
★ 205/70R15	96T			440/ A/ B	6924590225305
LT215/85R16	115/112Q	E	10PR		6924590221420
LT235/85R16	120/116Q	E	10PR		6924590221437
LT225/75R16	115/112S	E	10PR		6924590221444
LT245/75R16	120/116S	E	10PR		6924590221451
LT265/75R16	123/120S	E	10PR		6924590221468
LT285/75R16	126/123R	E	10PR		6924590221475
P215/70R16	100T			440/ A/ B	6924590221482
★ 235/70R16	106T			440/ A/ B	6924590225312
P245/70R16	106S			440/ A/ B	6924590221499
★ 255/70R16	111T			440/ A/ B	6924590225329
P265/70R16	111T			440/ A/ B	6924590221505
★ 205/60R16	92T			440/ A/ B	6924590225336
LT235/80R17	120/117R	E	10PR		6924590221512
LT245/75R17	121/118R	E	10PR		6924590221529
LT245/70R17	119/116R	E	10PR		6924590221536
LT265/70R17	121/118S	E	10PR		6924590221543
LT285/70R17	121/118R	E	10PR		6924590221550
★ 225/65R17	102T			440/ A/ B	6924590225343
★ 245/65R17	111T/XL			440/ A/ B	6924590225350
★ 255/65R17	110T			440/ A/ B	6924590225367
P265/65R17	112T			440/ A/ B	6924590221567
LT265/70R18	124/121S	E	10PR		6924590221574
LT275/65R18	123/120S	E	10PR		6924590221581
★ 255/60R18	112T/XL			440/ A/ B	6924590225374
★ 265/60R18	110T			440/ A/ B	6924590225381

★ Represents new specifications

SMART CRUISER



SMART CRUISER

SC7

Function Description

Speed rate：Q/R/S/T

Section width：175-235

Rim：14′-16′

Ratio：65-75

Smart Cruiser is used on small and medium commercial trucks, vans and pickups.It is for drivers who want a combination of heavy-duty load capacity,long mileage,even wear and traction on dry and wet roads.

Product Feature	Wide base tread	Mono-strand, jointless bead bundle	State of the tread compound
Effect	Increasing road grip and better traction	Providing accurate fit to the rim	Improves wet & dry traction and reduces wear
Customer Benefit	Drive stability & long life	Smooth and stable drive	Safety & long life

Size	Load Index &Speed Rate	Ply Rating	Load Range	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
185R14C	102/100R	8PR	D	E	B	71	))	6924590221598
195R14C	106/104R	8PR	D	E	B	71	))	6924590221604
215/75R14C	104/101R	8PR	D	E	B	72	))	6924590221611
175/65R14C	90/88Q	6PR	C	E	B	71	))	6924590221628
195R15C	106/104R	8PR	D	E	B	71	))	6924590221635
195/70R15C	104/102R	8PR	D	E	B	71	))	6924590221642
205/70R15C	106/104S	8PR	D	E	B	71	))	6924590221659
215/70R15C	109/107S	8PR	D	E	B	72	))	6924590221666
225/70R15C	112/110R	8PR	D	E	B	72	))	6924590221673
185/75R16C	104/102R	8PR	D	E	B	71	))	6924590221680
195/75R16C	107/105R	8PR	D	E	B	71	))	6924590221697
195/65R16C	104/102T	8PR	D	E	B	71	))	6924590221703
205/65R16C	107/105T	8PR	D	E	B	71	))	6924590221710
215/65R16C	109/107T	8PR	D	E	B	72	))	6924590221727
225/65R16C	112/110R	8PR	D	E	B	72	))	6924590223646
225/65R16C	112/110T	8PR	D	E	B	72	))	6924590221734
235/65R16C	115/113T	8PR	D	E	B	72	))	6924590221741

RUN-FLAT TYRE

SUPERSPORTCHASER

RUN-FLAT TYRE

SSC5

Function Description

Speed rate：V/W/Y

Rim：16′-20′

Section width：195-275

Ratio：35-55

Reduced danger and hassle. Drive after a loss of some or all inflation pressure for up to 80km at maximum speed up to 80km/h.Compatible with standard wheel rims. No need for a spare tyre.

Advanced Run-Flat Technology

RUN-FLAT TYRE



Inflated　　Deflated

NORMAL TYRE



Inflated　　Deflated



Product Feature　Reinforced sidewalls to support the vehicle in the event of air pressure loss.

Effect　In case of tyre pressure loss, the run-flat tyre can continue your journey up to 80 kilometers at a maximum speed of 80 km/h.

Customer Benefit　Increasing safety.

Size	Load Index &Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
195/55RF16	87V		320/ A/ A	E	C	71	))	6924590222786
205/55RF16	91V		320/ A/ A	E	C	71	))	6924590222809
★ 205/55ZRF17	95W	XL	320/ A/ A					6924590225220
225/55ZRF17	97W		320/ A/ A	E	B	71	))	6924590223073
205/50ZRF17	89W		320/ A/ A	E	B	71	))	6924590222823
225/50ZRF17	94W		320/ A/ A	E	B	71	))	6924590222847
205/45RF17	84V		320/ A/ A	E	B	71	))	6924590222861
225/45ZRF17	91W		320/ A/ A	E	B	71	))	6924590222885
225/50ZRF18	95W		320/ A/ A	E	B	71	))	6924590223653
235/50ZRF18	97W		320/ A/ A	E	B	71	))	6924590223660
225/45ZRF18	91W		320/ A/ A	E	B	71	))	6924590223080
245/45ZRF18	96W		320/ A/ A	E	B	71	))	6924590223172
★ 255/45ZRF18	99W		320/ A/ A					6924590225237
225/40ZRF18	88W		320/ A/ A	E	B	71	))	6924590223189
245/40ZRF18	97W	XL	320/ A/ A	E	B	71	))	6924590223134
★ 225/45ZRF19	96W	XL	320/ A/ A					6924590225206
★ 245/45ZRF19	102Y	XL	320/ A/ A					6924590225244
★ 225/40ZRF19	93Y	XL	320/ A/ A					6924590225251
★ 245/40ZRF19	98Y	XL	320/ A/ A					6924590225268
225/35ZRF19	88Y	XL	320/ A/ A	E	B	71	))	6924590223141
★ 255/35ZRF19	96Y	XL	320/ A/ A					6924590225275
★ 275/35ZRF19	100Y	XL	320/ A/ A					6924590225282
★ 255/45ZRF20	101W		320/ A/ A					6924590225213

★ Represents new specifications

A SAFE JOURNEY FORWARD

ALL SEASON VERSAT

Function Description

Speed rate：T/H/V/W

Rim：13'-18'

Section width：155-225

Ratio：40-80

All Season Versat AS2 combine reliable winter safety with the precise driving stability and firm handing of our summer tyres.
The AS2 Weatherproof product offers first class safety and durability for year round use.
All sizes have the Snowflake symbol (3PMSF),which indicates that the the tyres have been officially approved for winter use.

ALL SEASON VERSAT

AS2

A SAFE JOURNEY FORWARD

Function Description

Size	Load Index &Speed Rate	/XL	Labeling				UPC
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
155/80R13	79T		E	E	67	)	6924590223936
155/70R13	75T		E	E	67	)	6924590223677
165/70R14	81T		E	E	67	)	6924590223684
155/65R14	75T		E	E	67	)	6924590223943
175/65R14	82T		C	E	67	)	6924590223691
175/70R14	88T	XL	C	E	67	)	6924590223707
175/65R15	84H		C	E	67	)	6924590223714
185/55R15	86H	XL	C	C	67	)	6924590223721
185/60R15	88H	XL	C	C	67	)	6924590223738
185/65R15	88H		C	C	67	)	6924590223745
195/60R15	88H		C	C	67	)	6924590223752
195/65R15	91H		C	C	67	)	6924590223769
195/65R15	95H	XL	C	C	67	)	6924590223776
195/55R16	91V	XL	C	C	67	)	6924590223783
205/55R16	91V		C	C	67	)	6924590223790
205/55R16	94V	XL	C	C	67	)	6924590223806
205/60R16	96V	XL	C	C	67	)	6924590223813
205/50ZR17	93W	XL	C	B	67	)	6924590223967
215/50ZR17	95W	XL	C	B	67	)	6924590223981
225/50ZR17	98W	XL	C	B	70	))	6924590223998
205/45ZR17	88W	XL	C	B	67	)	6924590223950
215/45ZR17	91W	XL	C	B	67	)	6924590223974
225/45ZR17	94W	XL	C	B	70	))	6924590223820
225/40ZR18	92W	XL	C	B	70	))	6924590223837

WINTER MAX U1

WINTER-MAX U1

WL2

Function Description

Speed rate： T/H

Rim： 13'-16'

Section width： 155-215

Ratio： 55-80

The Winter-Max U1 tyre has the perfect balance of safety and comfort. It adapts to all weather variations offering relentless grip and making driving controlled, precise and enjoyable.

Function Description

Product Feature

- Advanced piece-shape pattern design with special compound for ice and snow can provide flexibility and bigger ground touching areas to tread on snowy roads.
- Symmetric pattern &big shoulder pattern can produce lateral forces when driving, improve traction on snowy and icy roads. It can improve driving and braking performance significantly, maximally optimize driving precision on dry and wet roads , reduce noise.
- Special compound for ice and snow can ensure good winter performance in the middle and late period of wearing.

Size	Load Index &Speed Rate	/XL	Labeling				UPC
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
155/80R13	79T		C	C	71	))	6924590223202
155/70R13	75T		C	C	71	))	6924590223219
165/70R13	83T	XL	C	C	71	))	6924590223226
175/70R13	82T		C	C	71	))	6924590223233
165/70R14	81T		C	C	71	))	6924590223240
175/70R14	88T	XL	C	C	71	))	6924590223257
185/70R14	88T		C	C	71	))	6924590223264
175/65R14	82T		C	C	71	))	6924590223271
185/65R14	86T		C	C	71	))	6924590223288
185/60R14	86T	XL	C	C	71	))	6924590223295
195/65R15	91H		C	C	72	))	6924590223301
215/65R15	96H		C	C	72	))	6924590223318
185/65R15	88T		C	C	71	))	6924590223325
205/65R15	99T	XL	C	C	72	))	6924590223332
185/60R15	84T		C	C	71	))	6924590224391
185/60R15	88T	XL	C	C	71	))	6924590224407
195/60R15	88T		C	C	72	))	6924590223349
205/55R16	91T		C	C	72	))	6924590223356

★ Represents new specifications

WINTER-MAX A1

Function Description

Speed rate：H/V

Rim：15'-21'

Section width：185-315

Ratio：35-65

WINTER-MAX A1

WL5

The Winter-Max A1 tyre optimally combines high performance handing and reliable winter grip. It offers balanced driving in rapidly changing weather conditions for passenger cars.

A SAFE JOURNEY FORWARD

Product Feature

- Three longitudinal grooves on tread can enhance water drainage performance and better slip resistant performance on snowy roads.
- Herringbone patterns on tread ensure the strong ice breaking and water drainage performance, the big ground touching areas ensure the performance on icy and snowy roads.
- Asymmetric pattern design can optimize the tyre performance on dry and wet roads, improve comprehensive handling performance on icy and snowy roads.

Size	Load Index &Speed Rate	/XL	Labeling				UPC
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
185/55R15	86H	XL	E	C	71	))	6924590223363
195/55R15	85H		E	C	72	))	6924590223370
195/50R15	82H		E	C	72	))	6924590223387
215/65R16	98H		C	C	72	))	6924590223394
205/60R16	96H	XL	C	C	72	))	6924590223400
235/60R16	100H		C	C	72	))	6924590223417
215/60R16	99H	XL	C	C	72	))	6924590223424
225/60R16	102H	XL	C	C	72	))	6924590223431
195/55R16	87H		E	C	72	))	6924590223448
205/55R16	91H		C	C	72	))	6924590223455
215/55R16	97H	XL	C	C	72	))	6924590223462
225/55R16	99H	XL	C	C	72	))	6924590223479
★ 205/55R17	95V	XL	C	C	71	))	6924590224414
215/55R17	98V	XL	C	C	72	))	6924590223486
225/55R17	101V	XL	C	C	72	))	6924590223493
235/55R17	103V	XL	C	C	72	))	6924590223509
205/50R17	93V	XL	C	C	72	))	6924590223516
215/50R17	95V	XL	C	C	72	))	6924590223523
225/50R17	98V	XL	C	C	72	))	6924590223530
215/45R17	91V	XL	C	C	71	))	6924590224421
225/45R17	94V	XL	C	C	72	))	6924590223547
★ 235/45R17	97V	XL	C	C	72	))	6924590224438
★ 255/55R18	109V	XL	C	C	72	))	6924590224445
★ 225/50R18	99V		C	C	72	))	6924590224452
★ 235/45ZR18	98V	XL	C	C	72	))	6924590225015
225/40R18	92V	XL	C	C	72	))	6924590223554
235/40R18	95V	XL	C	C	72	))	6924590223561
245/40R18	97V	XL	C	C	72	))	6924590223578
★ 235/55R19	105V	XL	C	C	72	))	6924590224483
255/40R19	100V	XL	C	C	73	))	6924590223585
★ 245/45R19	102V	XL	C	C	72	))	6924590224490
★ 225/35R19	88V	XL	C	C	72	))	6924590224506
★ 235/35R19	91V	XL	C	C	72	))	6924590224513
★ 255/35R19	96V	XL	C	C	72	))	6924590224520
★ 245/35R19	93V	XL	C	C	72	))	6924590224537
★ 285/50R20	116H		C	C	73	))	6924590224544
★ 245/40R20	99V	XL	C	C	72	))	6924590224551
★ 275/40R20	106V	XL	C	C	72	))	6924590224568
★ 315/35R20	110V	XL	C	C	73	))	6924590224575
★ 295/40R21	111V	XL	C	C	73	))	6924590224582

★ Represents new specifications

P. 25–26

WINTERCROSS

WINTERCROSS WL6

Function Description

Speed rate：Q/S/T

Section width：155-275

Rim：13'-20'

Ratio：45-70

The Soft Tread compound used in WINTERCROSS-WL6 to maintain good grip performance and precise handling performance on snowy and icy roads. The braking performance of WINTER CROSS WL6 is more excellent to ensure your driving safety.

Size	Load Index &Speed Rate	/XL	Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	UPC
175/70R13	82Q		E	C	70	))	6924590224773
175/70R14	88Q	XL	E	C	70	))	6924590224780
185/70R14	88Q		E	C	70	))	6924590224797
155/65R14	75Q		E	C	70	))	6924590224599
175/65R14	82Q		E	C	70	))	6924590224803
185/65R14	90Q	XL	E	C	70	))	6924590224810
185/60R14	82Q		E	C	70	))	6924590224827
185/65R15	88Q		E	C	70	))	6924590224834
195/65R15	91Q		E	C	70	))	6924590224841
205/65R15	94Q		E	C	70	))	6924590224858
185/60R15	84Q		E	C	70	))	6924590224865
195/60R15	104S		E	C	70	))	6924590224872
195/55R15	85Q		E	C	70	))	6924590224889
215/70R16	100Q		E	C	71	))	6924590224896
215/65R16	98Q		E	C	71	))	6924590224902
205/60R16	92Q		E	C	70	))	6924590224919
215/60R16	99Q	XL	E	C	71	))	6924590224926
205/55R16	91S		E	C	70	))	6924590224940
215/55R16	97Q	XL	E	C	71	))	6924590224933
225/55R16	99Q	XL	E	C	71	))	6924590224957
225/65R17	102S		E	C	71	))	6924590224605
235/65R17	104S		E	C	71	))	6924590224612
245/65R17	111S	XL	E	C	71	))	6924590224629
265/65R17	112S		E	B	72	))	6924590224636
215/60R17	96S		E	C	71	))	6924590224643
225/60R17	103S	XL	E	C	71	))	6924590224650
215/55R17	94S		E	C	71	))	6924590224964
225/55R17	97S		E	C	71	))	6924590224971
215/50R17	95S	XL	E	C	71	))	6924590224988
225/50R17	98S	XL	E	C	71	))	6924590224995
235/45R17	97S	XL	E	C	71	))	6924590225008
225/60R18	104S	XL	E	C	71	))	6924590224667
235/60R18	107S	XL	E	C	71	))	6924590224674
265/60R18	114S	XL	E	B	72	))	6924590224681
215/55R18	99S	XL	E	C	71	))	6924590224698
235/55R18	104S	XL	E	C	71	))	6924590224704
235/50R18	101S	XL	E	C	71	))	6924590224711
225/45R18	95S	XL	E	C	71	))	6924590224728
245/45R18	100S	XL	E	C	71	))	6924590224735
255/50R19	103T		E	C	72	))	6924590224759
245/55R19	103S		E	C	71	))	6924590224742
275/45R20	110T	XL	E	B	72	))	6924590224766

WINTER FORCE



Function Description

Speed rate： Q/R/T

Rim： 14'-16'

Section width： 165-235

Ratio： 65-75

The Winter Force tyre with powerful grip on rain snow and even ice road condition.Non studded winter tyre technology with the best safety characteristics.
WL7 specially design for commercial vehicle and vans.

WINTER FORCE

WL7

Function Description



Product Feature

- Three longitudinal main groove patterns can optimize the position and volume ratio of the entire groove and pattern block, ensure better driving and braking forces on snowy roads.
- The T-shaped groove with a certain angle in the middle of pattern block can increases the groove volume and improve the ability of grip on snow.
- There is connecting block in the middle and shoulder is specially designed for connecting van tyre, which can enhance the connection rigidity between the pattern blocks, reduce the deformation of the block during braking, enhance the braking force of the tyre, ensures the safety and stability of the vehicle while driving.

Size	Load Index &Speed Rate	Load Range	Ply Rating	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
185R14LT	102/100Q	D	8PR	E	E	70	)	6924590223844
165/70R14C	89/87R	C	6PR	E	E	70	)	6924590223851
215/75R15LT	106/103Q	D	8PR	E	C	71	))	6924590223868
235/75R15LT	116/113Q	E	10PR	C	C	71	))	6924590223875
195/70R15C	104/102R	D	8PR	E	C	71	))	6924590223882
215/70R15C	109/107R	D	8PR	E	C	71	))	6924590224193
225/70R15C	112/110R	D	8PR	C	C	71	))	6924590224209
195/75R16C	107/105T	D	8PR	E	C	71	))	6924590224216
215/75R16C	113/111R	D	8PR	C	C	71	))	6924590224223
205/65R16C	107/105R	D	8PR	E	C	71	))	6924590224230
215/65R16C	109/107R	D	8PR	E	C	71	))	6924590224247
235/65R16C	115/113R	D	8PR	C	C	71	))	6924590224254

WINTER-MAX S1

WINTER-MAX S1

WS1

Function Description

Speed rate： Q/T/H

Rim： 13'-20'

Section width： 155-275

Ratio： 45-80

The Winter-Max S1 tyre fit with stud provides excellent braking and acceleration grip and also superior grip in curves and when passing on both icy and snowy roads.

STANDARD STUDS	
EURO:	8x10/2
TSMI#:	TSMI#11
LENGTH:	10mm
Head Dia.:	8mm
COLOR:	Silver
WEIGHT:	2.0g

Function Description



Size	Load Index &Speed Rate	/XL	Labeling				Number of Studs	UPC
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade		
155/80R13	83Q	XL	E	E	69	))	146	6924590224001
175/70R13	82T		E	E	69	))	156	6924590224018
175/65R14	82T		E	E	69	))	156	6924590224025
175/65R14	86T	XL	E	E	69	))	156	6924590224032
195/65R15	91T		E	E	69	)	200	6924590224049
195/65R15	95T	XL	E	E	69	)	200	6924590224056
205/55R16	91H		E	E	69	)	200	6924590224063
205/55R16	94T	XL	E	E	69	)	200	6924590224070
225/65R17	102T		E	E	70	))	212	6924590224087
235/65R17	104T		E	E	70	))	212	6924590224094
225/45R17	94H	XL	E	E	70	))	212	6924590224100
225/55R17	101H	XL	E	E	70	))	212	6924590224117
225/50R17	98H	XL	E	E	70	))	212	6924590224124
225/40R18	92H	XL	E	E	70	))	212	6924590224131
225/55R18	102H	XL	E	E	70	))	212	6924590224148
235/60R18	107H	XL	E	E	70	))	212	6924590224155
225/45R18	91H	XL	E	E	70	))	212	6924590224162
225/45R18	95H	XL	E	E	70	))	212	6924590224179
275/55R20	117H		E	E	72	))	212	6924590224186

AUTOGREEN PASSENGER & LIGHT TRUCK STANDARD LIMITED WARRANTY

1.WHAT IS WARRANTED AND WHO IS ELIGIBLE UNDER THIS WARRANTY?

Best Choice International Trade Co., LTD., headquartered at 3rd Floor, North Anhua Building, No. 8 Yinghua West Street, Chaoyang District, Beijing, China 100029 (“Best Choice”), warrants to the original consumer tyre purchaser that all AUTOGREEN passenger and light truck tyres bought either directly or through an authorized AUTOGREEN dealer, which are mounted on cars or light trucks and become unserviceable for any reason within the manufacturer’ s control. AUTOGREEN consumer products are warranted to be free from defects in materials and workmanship subjected terms, conditions and limitations as stated below. If our examination of a warrant-able product determines that the product has failed due to defect in materials or workmanship, we will make a reasonable allowance toward the purchase price of a new product or other adjustment within our discretion. Adjustments will be made on a pro-rate basis determined by the amount of usage or service received from the product and will be based on the most recent purchase price (proof of purchase is required). This warranty is not transferable.

TERMS, CONDITIONS AND LIMITATIONS

Under no circumstances is this limited warranty a representation that a tyre failure cannot occur. This limited warranty is only applicable to products sold and used on consumer vehicles.
Passenger tyres are under 4 years from date of production.
Light Truck tyres (LT designation) are under limited warranty if less than 4 years from date of production, or less than 3 years from date of purchase (purchase proof is needed).
The life of the original usable tread has worn down to 2/32” remaining (worn down to the wear bar indicators in the tread grooves).

A.Within the first 2/32” of original usable tread, Best Choice will replace such tyre with a comparable AUTOGREEN new tyre free of charge. Applicable taxes on the new tyre and costs for mounting and balancing and any other service charges are payable by the consumer.

B.Beyond the first 2/32” of the original usable tread, a pro rate credit will be given toward the purchase of a comparable new AUTOGREEN tyre. Applicable taxes, costs of mounting and balancing and other service charges are payable by the consumer.

Example: Amount of credit will be calculated by the following formula:

CR = Remaining Tread Depth= 7 = 56% x $75.00= $42 Credit **
Original Usable Tread Depth 11

** refer to Adjustment credit Percentage table to obtain actual percentage amount when calculating.

C.Adjustment on out-of-round or out-of-balance conditions is allowed only during the first 1/32’’ of the original tread depth within the first 6 months from the date of purchase , supported with proof of the out-of-round or out-of-balance conditions for every passenger or light truck tyre. Best Choice will replace such tyre with a comparable new AUTOGREEN tyre free of charge. Applicable taxes on the new tyre and costs for mounting and balancing and any other service charges are payable by the consumer owner. A set of 4 tyres from the same vehicle will not be accepted for out-of-round or out-of-balance claims.

WHAT IS NOT COVERED?

A.Tyre adjustments will be based on the remaining tread depth. Tyres worn to 2/32” tread depth or to the tread wear indicator bars are deemed to have served their full useful tread life and are not adjustable.
B.Tyre returned for out-of-round or ride disturbance conditions beyond 2/32” of wear will not be considered for adjustment.
C.Tyres marked “NA” (Non-Adjustable) specifically are excluded from this limited warranty.
D.The cost applicable to taxes, mounting, balancing and any other service charges are excluded.
E.Tyre returned as a set will not be considered. All tyres must have a warrantable condition.
F.Tyres that have been altered in any way including retreaded, altered and repaired improperly to Rubber manufactures Association standards or with section repairs or with self-valancing plug are excluded from the limited warranty.
G.Tyres without DOT number are excluded from the limited warranty.
H.Tyres with tyre fill, sealant, balancing materials, fillers inside the tyre, tyres notched, buffed, re-grooved or cut are excluded from the limited warranty.
I.Ozone or weather cracking after 2 years from the date of purchase
J.Tyre without production date.
K.Loss of time, or use, inconvenience, or any incidental or consequential damage.
L.Tyres that have been misapplied due to insufficient speed rating, undersized, or oversized.
M.Tyres that have become unserviceable due to chemical corrosion, vandalism, chains and flat spotting.
N.Tyres involved in race activities.
O.Uneven wear characteristics caused by mechanical irregularity in the vehicle such as misalignment, over inflation and under-inflation
P.Uneven or rapid wear more than 2/32nds across the tread on the same tyre
Q.Tyre damage or irregular wear due to road hazard, including punctures, cuts, impact break, bulge, snag, stone drill and car collision.
R.Continued use while run flat or acute under-inflation.
S.Improper use, without limitation, improper inflation, overloading, allocated to improper rim, tyre/wheel balance, worn suspension components, improper mounting or dismounting, misuse, misapplication and fire.

OWNERS OBLIGATIONS

A.Present tyre to the AUTOGREEN dealer from whom you bought this tyre.
B.Complete and sign an AUTOGREEN adjustment claim form at AUTOGREEN dealer you bought the claimed tyres.
C.Pay the amounts due for a new tyre, less the amount of the credit, including taxes, mounting, balancing, valve stem if needed and any other service that you might require.

2. REPLACEMENT WARRANTY

If you receive a replacement tyre under the AUTOGREEN warranty, it will be covered by the manufacturer’ s warranty and the supplemental limited warranty that Best Choice International Trade Co. LTD gives on that tyre.
This is the only expressed warranty given by Best Choice International Trade Co. LTD applicable to AUTOGREEN replacement tyres. Best Choice does not make any other express warranty or implied warranty of merchant ability or fitness for a particular purpose.
Best Choice does not authorize any other people, including authorized dealers, to change this warranty or create any other obligation in connection with AUTOGREEN products. Best Choice will not do anything other than what is stated in this warranty if a defect is found to exist in an AUTOGREEN replacement radial tyre. All other remedies are excluded, including any obligation or liability on the part of Best Choice for consequential or incidental damages (such as loss of use of car, loss of time or inconvenience) arising out of defect.

Legal Rights:

All implied warranties, included any warranty of merchantability or fitness for a particular purpose, are expressly limited to the duration of this written limited warranty. All obligations or liabilities for indirect, incidental or consequential damages are hereby excluded to the extent permitted by law, including economic loss, loss of profit, loss of vehicle, loss of time, inconvenience, personal injury or death. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply. This limited warranty gives the customer legal rights that may vary from state to state. This is the only express warranty applicable to items sold by Best Choice International Trade Co. LTD, and supersedes the terms of any previous warranty. Best Choice International Trade Co. LTD neither assumes nor authorizes anyone to assume for it any other warranty.

Best Choice International Trade Co. LTD

NOTES