# AUTOGREEN TYRES

**BEST CHOICE INTERNATIONAL TRADE CO., LTD.**

Third Floor of North Anhua Mansion, No.8 Yinghua West Street,
Chaoyang District, Beijing, 100029, China


Facebook:Autogreen tyre

E-mail:info@chinese tyre.com

Fax:86-10-64447978

Tel:86-10-64449145

AUTOGREEN TYRES



## A Safe Journey Forward

www.autogreen.com

# CONTENTS


01 *PASSENGER CAR & ULTRA HIGH PERFORMANCE TYRE*

SPORTCHASER SC2
TOURCHASER TC1
SUPERSPORTCHASER SSC5

09 *SUV & LIGHT TRUCK TYRE*

SPORT CRUISER SC6
SUPERSPORTPIONEER SSP8
TERRAIN CRUISER A/T TC9

17 *COMMERCIAL VAN TYRE*

SMART CRUISER SC7

19 *RUNFLAT TYRE*

SUPERSPORTCHASER SSC5

21 *ALL SEASON TYRE*

ALL SEASON VERSAT AS2

23 *WINTER TYRE*

WINTER-MAX U1 WL2
WINTER-MAX A1 WL5
WINTERCROSS WL6
WINTER FORCE WL7
WINTER-MAX S1 WS1

33 *LIMITED WARRANTY*

# SPORT CHASER




## Function Description

**Speed rate：T/H/V/W**

**Section width：165-225**

**Rim：13′-16′**

**Ratio：50-70**

***Wet Grip- A***

## SPORTCHASER SC2


***Sport Chaser is a performance tyre pattern for family passenger cars. Its environment friendly designed tread pattern,lowers rolling resistance and noise emission, provides enhanced comfortable driving experience and sufficient sense of safety.***

| Size | Load Index &Speed Rate | /XL | UTQG | Labeling | | | | UPC |
|---|---|---|---|---|---|---|---|---|
| | | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade | |
| 175/70R13 | 82T | | 500/ A/ A | E | A | 66 | ) | 6924590220010 |
| 175/70R13 | 82H | | 500/ A/ A | E | A | 66 | ) | 6924590220027 |
| 175/70R14 | 84T | | 500/ A/ A | E | A | 66 | ) | 6924590220034 |
| 195/70R14 | 91T | | 500/ A/ A | C | A | 67 | ) | 6924590220041 |
| 195/70R14 | 91H | | 500/ A/ A | C | A | 67 | ) | 6924590220058 |
| 175/65R14 | 82T | | 500/ A/ A | E | A | 66 | ) | 6924590220065 |
| 175/65R14 | 82H | | 500/ A/ A | E | A | 66 | ) | 6924590220072 |
| 185/65R14 | 86H | | 500/ A/ A | E | A | 66 | ) | 6924590220089 |
| 185/60R14 | 82H | | 500/ A/ A | E | A | 66 | ) | 6924590220096 |
| 185/65R15 | 88T | | 500/ A/ A | E | A | 66 | ) | 6924590220102 |
| 185/65R15 | 88H | | 500/ A/ A | E | A | 66 | ) | 6924590220119 |
| 195/65R15 | 91H | | 500/ A/ A | C | A | 67 | ) | 6924590220126 |
| 195/65R15 | 91V | | 500/ A/ A | C | A | 67 | ) | 6924590220133 |
| 205/65R15 | 94H | | 500/ A/ A | C | A | 67 | ) | 6924590220140 |
| 205/65R15 | 94V | | 500/ A/ A | C | A | 67 | ) | 6924590220157 |
| 215/65R15 | 96H | | 500/ A/ A | C | A | 67 | ) | 6924590220164 |
| 215/65R15 | 100H | XL | 500/ A/ A | C | A | 67 | ) | 6924590220171 |
| 185/60R15 | 84H | | 500/ A/ A | E | A | 66 | ) | 6924590220188 |
| 185/60R15 | 88H | XL | 500/ A/ A | E | A | 66 | ) | 6924590220195 |
| 195/60R15 | 88H | | 500/ A/ A | E | A | 67 | ) | 6924590220201 |
| 195/60R15 | 88V | | 500/ A/ A | E | A | 67 | ) | 6924590220218 |
| 205/60R15 | 91H | | 500/ A/ A | C | A | 67 | ) | 6924590220225 |
| 205/60R15 | 91V | | 500/ A/ A | C | A | 67 | ) | 6924590220232 |
| * 165/55R15 | 75V | | 500/ A/ A | | | | | 6924590225022 |
| 185/55R15 | 82H | | 500/ A/ A | C | A | 67 | ) | 6924590223592 |
| 185/55R15 | 82V | | 500/ A/ A | E | A | 66 | ) | 6924590220249 |
| 205/65R16 | 95H | | 500/ A/ A | C | A | 67 | ) | 6924590220256 |
| 205/65R16 | 95V | | 500/ A/ A | C | A | 67 | ) | 6924590220263 |
| 215/65R16 | 98H | | 500/ A/ A | C | A | 67 | ) | 6924590220270 |
| * 195/60R16 | 89H | | 500/ A/ A | | | | | 6924590225039 |
| 205/60R16 | 92H | | 500/ A/ A | C | A | 67 | ) | 6924590220287 |
| 205/60R16 | 92V | | 500/ A/ A | C | A | 67 | ) | 6924590220294 |
| 215/60R16 | 95H | | 500/ A/ A | C | A | 67 | ) | 6924590220300 |
| 215/60R16 | 95V | | 500/ A/ A | C | A | 67 | ) | 6924590220317 |
| 225/60R16 | 98H | | 500/ A/ A | C | A | 67 | ) | 6924590220324 |
| * 185/55R16 | 83V | | 500/ A/ A | | | | | 6924590225046 |
| 205/55R16 | 91V | | 500/ A/ A | C | A | 67 | ) | 6924590220331 |
| 205/55ZR16 | 91W | | 500/ A/ A | C | A | 67 | ) | 6924590223608 |
| * 195/50R16 | 88V | XL | 500/ A/ A | | | | | 6924590225053 |

★ Represents new specifications

| | | | |
|---|---|---|---|
| Product Feature | Circumferential straight center-line and shoulder area | Optimum casing profile & special tread compound | Blocks with variable dimensions & variable angles |
| Effect | Enhancing handling and stability at high speed | Absorbing shocks and minimizes the effect of road surface irregularities,and Improves wet traction | Better road holding,lower noise |
| Customer Benefit | High speed safety | Comfort & safety | Comfort & quite ride |

# TOURCHASER




## TOURCHASER TC1

## Function Description

**Speed rate：T/H**

**Section width：155-185**


**Rim：13′-15′**

**Ratio：60-80**

***Economical tyre with low noise and good wet grip performance tyre pecifically developed for family passenger cars.***

***TourChaser Tc1 is a tyre designed to drive comfortable and fuel economical thanks to its low rolling resistance on the road.***

## Function Description




| Size | Load Index &Speed Rate | /XL | UTQG | Labeling | | | | UPC |
|---|---|---|---|---|---|---|---|---|
| | | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade | |
| 155/80R13 | 79T | | 420/A/A | E | C | 69 | )) | 6924590224308 |
| 155/70R13 | 75T | | 420/A/A | E | C | 69 | )) | 6924590224315 |
| 165/70R13 | 83T | XL | 420/A/A | E | C | 69 | )) | 6924590224322 |
| 185/70R13 | 86T | | 420/A/A | E | C | 69 | )) | 6924590224339 |
| 155/65R13 | 73T | | 420/A/A | E | C | 69 | )) | 6924590224346 |
| 165/65R13 | 77T | | 420/A/A | E | C | 69 | )) | 6924590224353 |
| 165/70R14 | 81T | | 420/A/A | E | C | 69 | )) | 6924590223905 |
| 185/70R14 | 88T | | 420/A/A | E | C | 69 | )) | 6924590223912 |
| 155/65R14 | 75T | | 420/A/A | E | C | 69 | )) | 6924590224360 |
| 165/65R14 | 83T | XL | 420/A/A | E | C | 69 | )) | 6924590224377 |
| 165/60R14 | 75H | | 420/A/A | E | C | 69 | )) | 6924590223929 |
| 175/65R15 | 84T | | 420/A/A | E | C | 69 | )) | 6924590224384 |

# SUPERSPORTCHASER



## Function Description

Speed rate：V/W/Y

Section width：195-275

Rim：15′-20′

Ratio：30-55


## SUPERSPORTCHASER

## SSC5

*SuperSport Chaser is a ultra high performance tyre for sedans.The asymmetric tread pattern provides superior handling ability on both dry and wet road.The”mute tread” design provides lowest noise level. It is a right choice for drivers who want both handling performance and driving comfort.*



# SUPERSPORT CHASER



| | | | |
|---|---|---|---|
| **Product Feature** | Asymmetric pattern design | High wet grip compound | High stiffness polyester material |
| | Outside with circumferential straight groove | | |
| | Inside rug groove of shoulder area | | |
| **Effect** | high speeds handling Performance | Maximun resistance to aquaplaning | Improvement for traction & stability |
| | Draining water away from block surface | | |
| **Customer Benefit** | High speed safety | Excellent wet handing, traction and acceleration capability | Excellent traction and acceleration capability |

| Size | Load Index &Speed Rate | /XL | UTQG | Labeling | | | | UPC |
|---|---|---|---|---|---|---|---|---|
| | | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade | |
| 195/55R15 | 85V | | 320/ A/ A | E | B | 71 | )) | 6924590220348 |
| 195/50R15 | 82V | | 320/ A/ A | E | B | 71 | )) | 6924590220355 |
| 195/55R16 | 87V | | 320/ A/ A | E | B | 71 | )) | 6924590223158 |
| 195/55ZR16 | 87W | | 320/ A/ A | E | B | 71 | )) | 6924590223165 |
| 205/55ZR16 | 91W | | 320/ A/ A | C | B | 71 | )) | 6924590220362 |
| 205/55ZR16 | 94W | XL | 320/ A/ A | C | B | 71 | )) | 6924590220379 |
| 215/55ZR16 | 97W | XL | 320/ A/ A | C | B | 71 | )) | 6924590220386 |
| 205/50ZR16 | 87W | | 320/ A/ A | E | B | 71 | )) | 6924590220393 |
| 195/45R16 | 84V | XL | 320/ A/ A | E | B | 71 | )) | 6924590223615 |
| 195/45ZR16 | 84W | XL | 320/ A/ A | E | B | 71 | )) | 6924590220409 |
| 205/45ZR16 | 87W | XL | 320/ A/ A | E | B | 71 | )) | 6924590220416 |
| ★ 205/55ZR17 | 95W | XL | 320/ A/ A | | | | | 6924590225060 |
| 215/55R17 | 98V | XL | 320/ A/ A | C | B | 71 | )) | 6924590220423 |
| 215/55ZR17 | 98W | XL | 320/ A/ A | C | B | 71 | )) | 6924590220430 |
| 225/55ZR17 | 101W | XL | 320/ A/ A | C | B | 72 | )) | 6924590220447 |
| 235/55ZR17 | 99W | | 320/ A/ A | C | B | 71 | )) | 6924590220454 |
| 205/50ZR17 | 93W | XL | 320/ A/ A | C | B | 71 | )) | 6924590220461 |
| 215/50ZR17 | 95W | XL | 320/ A/ A | C | B | 71 | )) | 6924590220478 |
| 225/50ZR17 | 98W | XL | 320/ A/ A | C | B | 72 | )) | 6924590220485 |
| 235/50ZR17 | 96W | | 320/ A/ A | C | B | 71 | )) | 6924590220492 |
| 205/45ZR17 | 88W | XL | 320/ A/ A | E | B | 71 | )) | 6924590220508 |
| 215/45ZR17 | 91W | XL | 320/ A/ A | C | B | 71 | )) | 6924590220515 |
| 225/45ZR17 | 94W | XL | 320/ A/ A | C | B | 71 | )) | 6924590220522 |
| 235/45ZR17 | 97W | XL | 320/ A/ A | C | B | 72 | )) | 6924590220539 |
| 205/40ZR17 | 84W | XL | 320/ A/ A | E | B | 71 | )) | 6924590220546 |
| 225/50ZR18 | 95W | | 320/ A/ A | C | B | 71 | )) | 6924590220553 |
| 235/50ZR18 | 97W | | 320/ A/ A | C | B | 71 | )) | 6924590220560 |
| 225/45ZR18 | 95W | XL | 320/ A/ A | C | B | 72 | )) | 6924590220577 |
| 235/45ZR18 | 98W | XL | 320/ A/ A | C | B | 72 | )) | 6924590220584 |
| 235/45ZR18 | 98Y | XL | 320/ A/ A | C | B | 72 | )) | 6924590223622 |
| 245/45ZR18 | 100W | XL | 320/ A/ A | C | B | 72 | )) | 6924590220591 |
| ★ 255/45ZR18 | 103Y | XL | 320/ A/ A | | | | | 6924590225077 |
| 225/40ZR18 | 92W | XL | 320/ A/ A | C | B | 72 | )) | 6924590220607 |
| 235/40ZR18 | 95W | XL | 320/ A/ A | C | B | 72 | )) | 6924590220614 |
| 245/40ZR18 | 97W | XL | 320/ A/ A | C | B | 72 | )) | 6924590220621 |
| 245/40ZR18 | 97Y | XL | 320/ A/ A | C | B | 72 | )) | 6924590220638 |
| 215/35ZR18 | 84W | XL | 320/ A/ A | E | B | 71 | )) | 6924590220645 |
| ★ 225/45ZR19 | 96W | XL | 320/ A/ A | | | | | 6924590225183 |
| ★ 245/45ZR19 | 102Y | XL | 320/ A/ A | | | | | 6924590225084 |
| ★ 225/40ZR19 | 93Y | XL | 320/ A/ A | | | | | 6924590225091 |
| ★ 235/40ZR19 | 96Y | XL | 320/ A/ A | | | | | 6924590225107 |
| ★ 245/40ZR19 | 98Y | XL | 320/ A/ A | | | | | 6924590225114 |
| 225/35ZR19 | 88W | XL | 320/ A/ A | E | B | 72 | )) | 6924590220652 |
| 235/35ZR19 | 91W | XL | 320/ A/ A | C | B | 72 | )) | 6924590220669 |
| 245/35ZR19 | 93W | XL | 320/ A/ A | C | B | 72 | )) | 6924590220676 |
| ★ 255/35ZR19 | 96Y | XL | 320/ A/ A | | | | | 6924590225121 |
| ★ 265/35ZR19 | 98Y | XL | 320/ A/ A | | | | | 6924590225138 |
| ★ 275/35ZR19 | 100Y | XL | 320/ A/ A | | | | | 6924590225145 |
| ★ 255/45ZR20 | 105W | XL | 320/ A/ A | | | | | 6924590225190 |
| 225/35ZR20 | 90W | XL | 320/ A/ A | E | B | 72 | )) | 6924590220683 |
| 225/35ZR20 | 90Y | XL | 320/ A/ A | E | B | 72 | )) | 6924590220690 |
| 245/35ZR20 | 91Y | | 320/ A/ A | C | B | 71 | )) | 6924590220706 |
| 245/35ZR20 | 95Y | XL | 320/ A/ A | C | B | 72 | )) | 6924590220713 |
| 255/35ZR20 | 97W | XL | 320/ A/ A | C | B | 73 | )) | 6924590220720 |
| 255/35ZR20 | 97Y | XL | 320/ A/ A | C | B | 73 | )) | 6924590220737 |
| 225/30ZR20 | 85W | XL | 320/ A/ A | E | B | 72 | )) | 6924590220744 |
| 235/30ZR20 | 88W | XL | 320/ A/ A | E | B | 72 | )) | 6924590220751 |
| 235/30ZR20 | 88Y | XL | 320/ A/ A | E | B | 72 | )) | 6924590220768 |

★ Represents new specifications

# SPORTCRUISER

## Function Description

Speed rate：T/H/V/W

Section width：205-285

Rim：15′-20′

Ratio：40-75

## SPORT CRUISER

## SC6

*Sport Cruiser is a urban SUV tyre for highway and city roads.Solid circu-mferential center rib enhances high speed driving response and straight line stability.*
*The staggered pattern with variable-pitch reduces tread noise and provides more traction wear.*
*The large stabilized shoulder blocks with small sipes improve traction and provide precise control on both dry and wet roads.*

# SPORT CRUISER



| | | | |
|---|---|---|---|
| **Product Feature** | Circumferential straight center-line | 4 wide grooves | Blocks with variable dimensions & variable angles and lateral sipes |
| **Effect** | Providing quick response to maneuvers and better balance on the road | Helping to increase wet handling, reduces the risk of aquaplaning | For better road holding, lower noise |
| **Customer Benefit** | High speed safety | Wet grip and safety | Comfort & quiet drive |

| Size | Load Index &Speed Rate | /XL | UTQG | Labeling | | | | UPC |
|---|---|---|---|---|---|---|---|---|
| | | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade | |
| 215/75R15 | 100T | | 420/ A/ A | E | C | 70 | )) | 6924590220775 |
| 225/75R15 | 102T | | 420/ A/ A | E | C | 70 | )) | 6924590220782 |
| 235/75R15 | 105T | | 420/ A/ A | E | C | 70 | )) | 6924590220799 |
| 205/70R15 | 96H | | 420/ A/ A | E | C | 70 | )) | 6924590220812 |
| 215/70R15 | 98T | | 420/ A/ A | E | C | 70 | )) | 6924590220829 |
| 245/75R16 | 109H | | 420/ A/ A | E | C | 71 | )) | 6924590220850 |
| 265/75R16 | 116H | | 420/ A/ A | E | C | 71 | )) | 6924590220874 |
| 215/70R16 | 100H | | 420/ A/ A | E | C | 70 | )) | 6924590220898 |
| 225/70R16 | 103H | | 420/ A/ A | E | C | 70 | )) | 6924590220911 |
| 235/70R16 | 106H | | 420/ A/ A | E | C | 70 | )) | 6924590220935 |
| 245/70R16 | 107H | | 420/ A/ A | E | C | 71 | )) | 6924590220959 |
| 255/70R16 | 111H | | 420/ A/ A | E | C | 71 | )) | 6924590220973 |
| 265/70R16 | 112H | | 420/ A/ A | E | C | 71 | )) | 6924590220997 |
| 235/65R16 | 103H | | 420/ A/ A | E | C | 70 | )) | 6924590221017 |
| 235/60R16 | 100V | | 420/ A/ A | E | C | 70 | )) | 6924590221031 |
| 245/70R17 | 110T | | 420/ A/ A | E | C | 71 | )) | 6924590221048 |
| 265/70R17 | 115T | | 420/ A/ A | E | C | 71 | )) | 6924590221055 |
| 215/65R17 | 99T | | 420/ A/ A | E | C | 70 | )) | 6924590221079 |
| 225/65R17 | 102H | | 420/ A/ A | E | C | 70 | )) | 6924590221086 |
| 235/65R17 | 104H | | 420/ A/ A | E | C | 70 | )) | 6924590221093 |
| 245/65R17 | 107H | | 420/ A/ A | E | C | 71 | )) | 6924590221109 |
| 255/65R17 | 110T | | 420/ A/ A | E | C | 71 | )) | 6924590221116 |
| 265/65R17 | 112T | | 420/ A/ A | E | C | 71 | )) | 6924590221123 |
| 265/65R17 | 112H | | 420/ A/ A | E | C | 71 | )) | 6924590221130 |
| 215/60R17 | 96H | | 420/ A/ A | E | C | 70 | )) | 6924590224261 |
| 225/60R17 | 99V | | 420/ A/ A | E | C | 70 | )) | 6924590221154 |
| 235/60R17 | 102H | | 420/ A/ A | E | C | 70 | )) | 6924590221161 |
| 235/60R17 | 102V | | 420/ A/ A | E | C | 70 | )) | 6924590221178 |
| 265/65R18 | 112T | | 420/ A/ A | E | C | 71 | )) | 6924590221185 |
| 275/65R18 | 114T | | 420/ A/ A | E | C | 71 | )) | 6924590221192 |
| 225/60R18 | 100H | | 420/ A/ A | E | C | 70 | )) | 6924590221208 |
| 235/60R18 | 107V | XL | 420/ A/ A | E | C | 70 | )) | 6924590221215 |
| 245/60R18 | 105H | | 420/ A/ A | E | C | 71 | )) | 6924590221222 |
| 265/60R18 | 110H | | 420/ A/ A | E | C | 71 | )) | 6924590221239 |
| ★ 215/55R18 | 99V | XL | 420/ A/ A | | | | | 6924590225152 |
| 225/55R18 | 98V | | 420/ A/ A | E | C | 70 | )) | 6924590223196 |
| 235/55R18 | 100V | | 420/ A/ A | E | C | 70 | )) | 6924590221253 |
| 255/55R18 | 109V | XL | 420/ A/ A | E | C | 71 | )) | 6924590221260 |
| ★ 225/55R19 | 99V | | 420/ A/ A | | | | | 6924590225169 |
| 235/55R19 | 101V | | 420/ A/ A | E | C | 70 | )) | 6924590221277 |
| ★ 235/50R19 | 99V | | 420/ A/ A | | | | | 6924590225176 |
| 275/60R20 | 114H | | 420/ A/ A | E | C | 72 | )) | 6924590221284 |
| 275/60R20 | 114V | | 420/ A/ A | E | C | 72 | )) | 6924590221291 |
| 275/55R20 | 117H | XL | 420/ A/ A | E | C | 72 | )) | 6924590221307 |
| 275/55R20 | 117V | XL | 420/ A/ A | E | C | 72 | )) | 6924590221314 |
| 265/50R20 | 111V | XL | 420/ A/ A | E | C | 71 | )) | 6924590221321 |
| 285/50R20 | 112V | | 420/ A/ A | E | C | 72 | )) | 6924590221338 |
| 285/50R20 | 116V | XL | 420/ A/ A | E | C | 72 | )) | 6924590221345 |
| 245/45ZR20 | 103W | XL | 420/ A/ A | E | C | 71 | )) | 6924590221352 |
| 275/45R20 | 110V | XL | 420/ A/ A | E | C | 72 | )) | 6924590221369 |
| 275/40R20 | 106V | XL | 420/ A/ A | E | C | 72 | )) | 6924590223376 |
| 275/40ZR20 | 106W | XL | 420/ A/ A | E | C | 72 | )) | 6924590221383 |
| 275/40ZR20 | 106Y | XL | 420/ A/ A | E | C | 72 | )) | 6924590223639 |

★ Represents new specifications

# SUPERSPORTPIONEER




## SuperSportPioneer

## SSP8

## Function Description

**Speed rate: H /V/W**

**Section width: 235-305**

**Rim: 18'-26'**

**Ratio: 25-60**

***Directional pattern specially designed for refitted vehicle.Wide tread and large shoulder blocks provide outstanding handling performance and stability.***
***Small grooves within pattern blocks reduce rigidity and enhance grip performance,which will assure your high speed safety.***
***Wide and deep transverse grooves with bamboo type longitudinal rib design enhance control performance and provide perfect handling performance.***



| | | | |
|---|---|---|---|
| Product Feature | Wide tread and the large shoulder blocks | The small grooves within the pattern blocks | Wide and deep transverse grooves with bamboo type longitudinal rib design |
| Effect | Provide outstanding control performance | Reduce the rigidity difference between each pattern blocks and enhance grip performance | Enhance the control performance |
| Customer Benefit | Drive stability | High speed safety | Perfect handling |

| Size | Load Index & Speed Rate | /XL | UTQG | UPC |
|---|---|---|---|---|
| 265/60R18 | 110H | | 420/ A/ A | 6924590224278 |
| 275/55R20 | 117H | XL | 420/ A/ A | 6924590224285 |
| 265/50R20 | 111V | XL | 420/ A/ A | 6924590224292 |
| 305/45R22 | 118V | XL | 420/ A/ A | 6924590222922 |
| 265/40R22 | 106V | XL | 420/ A/ A | 6924590222953 |
| 305/40R22 | 114V | XL | 420/ A/ A | 6924590222915 |
| 265/35R22 | 102V | XL | 420/ A/ A | 6924590222960 |
| 285/35R22 | 106V | XL | 420/ A/ A | 6924590222946 |
| 235/30ZR22 | 90W | XL | 420/ A/ A | 6924590222991 |
| 245/30ZR22 | 92W | XL | 420/ A/ A | 6924590222984 |
| 255/30ZR22 | 95W | XL | 420/ A/ A | 6924590222908 |
| 265/30ZR22 | 97W | XL | 420/ A/ A | 6924590222977 |
| 295/25ZR22 | 97W | XL | 420/ A/ A | 6924590222939 |
| 295/35R24 | 110V | XL | 420/ A/ A | 6924590223011 |
| 305/35R24 | 112V | XL | 420/ A/ A | 6924590223004 |
| 255/30ZR24 | 97W | XL | 420/ A/ A | 6924590223042 |
| 275/30ZR24 | 101W | XL | 420/ A/ A | 6924590223028 |
| 275/25ZR24 | 96W | XL | 420/ A/ A | 6924590223035 |
| 295/30ZR26 | 107W | XL | 420/ A/ A | 6924590223066 |
| 305/30ZR26 | 109W | XL | 420/ A/ A | 6924590223059 |

# TERRAIN CRUISER A/T



## TERRAIN CRUISER A/T

## TC9

## Function Description

**Speed rate**: Q/R/S/T

**Section width**: 215-285

**Rim**: 15′-18′

**Ratio**: 65-85


***Terrain Cruiser is premium On-/ Off-Road All-Terrain tyre developed for light truck drivers looking for combine on-road competence with off-road versatility.***

| | | | |
|---|---|---|---|
| Product Feature | Staggered and big shoulder blocks | Strong carcass & jointless mono-strand bead bundle | Deep-biting and self-cleaning tread lugs design |
| Effect | Extra traction in sand, mud, loose soil and snow | Better reliable operation on rough terrain | Better traction under extreme conditions |
| Customer Benefit | Excellent traction on and off-road | Safety and excellent traction | Extra bite on rough terrain |

| Size | Load Index & Speed Rate | Load Range | Ply Rating | UTQG | UPC |
|---|---|---|---|---|---|
| LT31x10.50R15 | 109Q | C | 6PR | | 6924590221390 |
| LT31x10.50R15 | 109S | C | 6PR | | 6924590221406 |
| LT235/75R15 | 104/101S | C | 6PR | | 6924590221413 |
| ★ 205/70R15 | 96T | | | 440/ A/ B | 6924590225305 |
| LT215/85R16 | 115/112Q | E | 10PR | | 6924590221420 |
| LT235/85R16 | 120/116Q | E | 10PR | | 6924590221437 |
| LT225/75R16 | 115/112S | E | 10PR | | 6924590221444 |
| LT245/75R16 | 120/116S | E | 10PR | | 6924590221451 |
| LT265/75R16 | 123/120S | E | 10PR | | 6924590221468 |
| LT285/75R16 | 126/123R | E | 10PR | | 6924590221475 |
| P215/70R16 | 100T | | | 440/ A/ B | 6924590221482 |
| ★ 235/70R16 | 106T | | | 440/ A/ B | 6924590225312 |
| P245/70R16 | 106S | | | 440/ A/ B | 6924590221499 |
| ★ 255/70R16 | 111T | | | 440/ A/ B | 6924590225329 |
| P265/70R16 | 111T | | | 440/ A/ B | 6924590221505 |
| ★ 205/60R16 | 92T | | | 440/ A/ B | 6924590225336 |
| LT235/80R17 | 120/117R | E | 10PR | | 6924590221512 |
| LT245/75R17 | 121/118R | E | 10PR | | 6924590221529 |
| LT245/70R17 | 119/116R | E | 10PR | | 6924590221536 |
| LT265/70R17 | 121/118S | E | 10PR | | 6924590221543 |
| LT285/70R17 | 121/118R | E | 10PR | | 6924590221550 |
| ★ 225/65R17 | 102T | | | 440/ A/ B | 6924590225343 |
| ★ 245/65R17 | 111T/XL | | | 440/ A/ B | 6924590225350 |
| ★ 255/65R17 | 110T | | | 440/ A/ B | 6924590225367 |
| P265/65R17 | 112T | | | 440/ A/ B | 6924590221567 |
| LT265/70R18 | 124/121S | E | 10PR | | 6924590221574 |
| LT275/65R18 | 123/120S | E | 10PR | | 6924590221581 |
| ★ 255/60R18 | 112T/XL | | | 440/ A/ B | 6924590225374 |
| ★ 265/60R18 | 110T | | | 440/ A/ B | 6924590225381 |

★ Represents new specifications

# SMART CRUISER




## SMART CRUISER

## SC7

## Function Description

**Speed rate**：Q/R/S/T

**Section width**：175-235

**Rim**：14′-16′

**Ratio**：65-75

***Smart Cruiser is used on small and medium commercial trucks, vans and pickups.It is for drivers who want a combination of heavy-duty load capacity,long mileage,even wear and traction on dry and wet roads.***

| | | | |
|---|---|---|---|
| **Product Feature** | Wide base tread | Mono-strand, jointless bead bundle | State of the tread compound |
| **Effect** | Increasing road grip and better traction | Providing accurate fit to the rim | Improves wet & dry traction and reduces wear |
| **Customer Benefit** | Drive stability & long life | Smooth and stable drive | Safety & long life |

| Size | Load Index &Speed Rate | Ply Rating | Load Range | Labeling | | | | UPC |
|---|---|---|---|---|---|---|---|---|
| | | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade | |
| 185R14C | 102/100R | 8PR | D | E | B | 71 | )) | 6924590221598 |
| 195R14C | 106/104R | 8PR | D | E | B | 71 | )) | 6924590221604 |
| 215/75R14C | 104/101R | 8PR | D | E | B | 72 | )) | 6924590221611 |
| 175/65R14C | 90/88Q | 6PR | C | E | B | 71 | )) | 6924590221628 |
| 195R15C | 106/104R | 8PR | D | E | B | 71 | )) | 6924590221635 |
| 195/70R15C | 104/102R | 8PR | D | E | B | 71 | )) | 6924590221642 |
| 205/70R15C | 106/104S | 8PR | D | E | B | 71 | )) | 6924590221659 |
| 215/70R15C | 109/107S | 8PR | D | E | B | 72 | )) | 6924590221666 |
| 225/70R15C | 112/110R | 8PR | D | E | B | 72 | )) | 6924590221673 |
| 185/75R16C | 104/102R | 8PR | D | E | B | 71 | )) | 6924590221680 |
| 195/75R16C | 107/105R | 8PR | D | E | B | 71 | )) | 6924590221697 |
| 195/65R16C | 104/102T | 8PR | D | E | B | 71 | )) | 6924590221703 |
| 205/65R16C | 107/105T | 8PR | D | E | B | 71 | )) | 6924590221710 |
| 215/65R16C | 109/107T | 8PR | D | E | B | 72 | )) | 6924590221727 |
| 225/65R16C | 112/110R | 8PR | D | E | B | 72 | )) | 6924590223646 |
| 225/65R16C | 112/110T | 8PR | D | E | B | 72 | )) | 6924590221734 |
| 235/65R16C | 115/113T | 8PR | D | E | B | 72 | )) | 6924590221741 |

# RUN-FLAT TYRE



## SUPERSPORTCHASER

RUN-FLAT TYRE

## SSC5

## Function Description

**Speed rate**： V/W/Y

**Rim**： 16′-20′

**Section width**： 195-275


**Ratio**： 35-55

*Reduced danger and hassle. Drive after a loss of some or all inflation pressure for up to 80km at maximum speed up to 80km/h.Compatible with standard wheel rims. No need for a spare tyre.*




## Advanced Run-Flat Technology

***RUN-FLAT TYRE***



Inflated　　Deflated

***NORMAL TYRE***



Inflated　　Deflated

**Product Feature**　Reinforced sidewalls to support the vehicle in the event of air pressure loss.

**Effect**　In case of tyre pressure loss, the run-flat tyre can continue your journey up to 80 kilometers at a maximum speed of 80 km/h.

**Customer Benefit**　Increasing safety.

| Size | Load Index &Speed Rate | /XL | UTQG | Labeling | | | | UPC |
|---|---|---|---|---|---|---|---|---|
| | | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade | |
| 195/55RF16 | 87V | | 320/ A/ A | E | C | 71 | )) | 6924590222786 |
| 205/55RF16 | 91V | | 320/ A/ A | E | C | 71 | )) | 6924590222809 |
| ★ 205/55ZRF17 | 95W | XL | 320/ A/ A | | | | | 6924590225220 |
| 225/55ZRF17 | 97W | | 320/ A/ A | E | B | 71 | )) | 6924590223073 |
| 205/50ZRF17 | 89W | | 320/ A/ A | E | B | 71 | )) | 6924590222823 |
| 225/50ZRF17 | 94W | | 320/ A/ A | E | B | 71 | )) | 6924590222847 |
| 205/45RF17 | 84V | | 320/ A/ A | E | B | 71 | )) | 6924590222861 |
| 225/45ZRF17 | 91W | | 320/ A/ A | E | B | 71 | )) | 6924590222885 |
| 225/50ZRF18 | 95W | | 320/ A/ A | E | B | 71 | )) | 6924590223653 |
| 235/50ZRF18 | 97W | | 320/ A/ A | E | B | 71 | )) | 6924590223660 |
| 225/45ZRF18 | 91W | | 320/ A/ A | E | B | 71 | )) | 6924590223080 |
| 245/45ZRF18 | 96W | | 320/ A/ A | E | B | 71 | )) | 6924590223172 |
| ★ 255/45ZRF18 | 99W | | 320/ A/ A | | | | | 6924590225237 |
| 225/40ZRF18 | 88W | | 320/ A/ A | E | B | 71 | )) | 6924590223189 |
| 245/40ZRF18 | 97W | XL | 320/ A/ A | E | B | 71 | )) | 6924590223134 |
| ★ 225/45ZRF19 | 96W | XL | 320/ A/ A | | | | | 6924590225206 |
| ★ 245/45ZRF19 | 102Y | XL | 320/ A/ A | | | | | 6924590225244 |
| ★ 225/40ZRF19 | 93Y | XL | 320/ A/ A | | | | | 6924590225251 |
| ★ 245/40ZRF19 | 98Y | XL | 320/ A/ A | | | | | 6924590225268 |
| 225/35ZRF19 | 88Y | XL | 320/ A/ A | E | B | 71 | )) | 6924590223141 |
| ★ 255/35ZRF19 | 96Y | XL | 320/ A/ A | | | | | 6924590225275 |
| ★ 275/35ZRF19 | 100Y | XL | 320/ A/ A | | | | | 6924590225282 |
| ★ 255/45ZRF20 | 101W | | 320/ A/ A | | | | | 6924590225213 |

★ Represents new specifications



A SAFE JOURNEY FORWARD

# ALL SEASON VERSAT



## Function Description

**Speed rate**：T/H/V/W

**Rim**：13'-18'

**Section width**：155-225

**Ratio**：40-80

***All Season Versat AS2 combine reliable winter safety with the precise driving stability and firm handing of our summer tyres.***
***The AS2 Weatherproof product offers first class safety and durability for year round use.***
***All sizes have the Snowflake symbol (3PMSF),which indicates that the the tyres have been officially approved for winter use.***

## ALL SEASON VERSAT

## AS2

## Function Description




| Size | Load Index &Speed Rate | /XL | Labeling | | | | UPC |
|---|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade | |
| 155/80R13 | 79T | | E | E | 67 | ) | 6924590223936 |
| 155/70R13 | 75T | | E | E | 67 | ) | 6924590223677 |
| 165/70R14 | 81T | | E | E | 67 | ) | 6924590223684 |
| 155/65R14 | 75T | | E | E | 67 | ) | 6924590223943 |
| 175/65R14 | 82T | | C | E | 67 | ) | 6924590223691 |
| 175/70R14 | 88T | XL | C | E | 67 | ) | 6924590223707 |
| 175/65R15 | 84H | | C | E | 67 | ) | 6924590223714 |
| 185/55R15 | 86H | XL | C | C | 67 | ) | 6924590223721 |
| 185/60R15 | 88H | XL | C | C | 67 | ) | 6924590223738 |
| 185/65R15 | 88H | | C | C | 67 | ) | 6924590223745 |
| 195/60R15 | 88H | | C | C | 67 | ) | 6924590223752 |
| 195/65R15 | 91H | | C | C | 67 | ) | 6924590223769 |
| 195/65R15 | 95H | XL | C | C | 67 | ) | 6924590223776 |
| 195/55R16 | 91V | XL | C | C | 67 | ) | 6924590223783 |
| 205/55R16 | 91V | | C | C | 67 | ) | 6924590223790 |
| 205/55R16 | 94V | XL | C | C | 67 | ) | 6924590223806 |
| 205/60R16 | 96V | XL | C | C | 67 | ) | 6924590223813 |
| 205/50ZR17 | 93W | XL | C | B | 67 | ) | 6924590223967 |
| 215/50ZR17 | 95W | XL | C | B | 67 | ) | 6924590223981 |
| 225/50ZR17 | 98W | XL | C | B | 70 | )) | 6924590223998 |
| 205/45ZR17 | 88W | XL | C | B | 67 | ) | 6924590223950 |
| 215/45ZR17 | 91W | XL | C | B | 67 | ) | 6924590223974 |
| 225/45ZR17 | 94W | XL | C | B | 70 | )) | 6924590223820 |
| 225/40ZR18 | 92W | XL | C | B | 70 | )) | 6924590223837 |

# WINTER MAX U1




## WINTER-MAX U1

## WL2

### Function Description

**Speed rate**： T/H

**Rim**： 13'-16'

**Section width**： 155-215

**Ratio**： 55-80

***The Winter-Max U1 tyre has the perfect balance of safety and comfort. It adapts to all weather variations offering relentless grip and making driving controlled, precise and enjoyable.***

## Function Description



**Product Feature**

- Advanced piece-shape pattern design with special compound for ice and snow can provide flexibility and bigger ground touching areas to tread on snowy roads.
- Symmetric pattern &big shoulder pattern can produce lateral forces when driving, improve traction on snowy and icy roads. It can improve driving and braking performance significantly, maximally optimize driving precision on dry and wet roads , reduce noise.
- Special compound for ice and snow can ensure good winter performance in the middle and late period of wearing.

| Size | Load Index &Speed Rate | /XL | Labeling | | | | UPC |
|---|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade | |
| 155/80R13 | 79T | | C | C | 71 | )) | 6924590223202 |
| 155/70R13 | 75T | | C | C | 71 | )) | 6924590223219 |
| 165/70R13 | 83T | XL | C | C | 71 | )) | 6924590223226 |
| 175/70R13 | 82T | | C | C | 71 | )) | 6924590223233 |
| 165/70R14 | 81T | | C | C | 71 | )) | 6924590223240 |
| 175/70R14 | 88T | XL | C | C | 71 | )) | 6924590223257 |
| 185/70R14 | 88T | | C | C | 71 | )) | 6924590223264 |
| 175/65R14 | 82T | | C | C | 71 | )) | 6924590223271 |
| 185/65R14 | 86T | | C | C | 71 | )) | 6924590223288 |
| 185/60R14 | 86T | XL | C | C | 71 | )) | 6924590223295 |
| 195/65R15 | 91H | | C | C | 72 | )) | 6924590223301 |
| 215/65R15 | 96H | | C | C | 72 | )) | 6924590223318 |
| 185/65R15 | 88T | | C | C | 71 | )) | 6924590223325 |
| 205/65R15 | 99T | XL | C | C | 72 | )) | 6924590223332 |
| 185/60R15 | 84T | | C | C | 71 | )) | 6924590224391 |
| 185/60R15 | 88T | XL | C | C | 71 | )) | 6924590224407 |
| 195/60R15 | 88T | | C | C | 72 | )) | 6924590223349 |
| 205/55R16 | 91T | | C | C | 72 | )) | 6924590223356 |

★ Represents new specifications

# WINTER-MAX A1



## Product Feature

- Three longitudinal grooves on tread can enhance water drainage performance and better slip resistant performance on snowy roads.
- Herringbone patterns on tread ensure the strong ice breaking and water drainage performance, the big ground touching areas ensure the performance on icy and snowy roads.
- Asymmetric pattern design can optimize the tyre performance on dry and wet roads, improve comprehensive handling performance on icy and snowy roads.

## Function Description

**Speed rate：H/V**

**Rim：15'-21'**

**Section width：185-315**

**Ratio：35-65**

***The Winter-Max A1 tyre optimally combines high performance handing and reliable winter grip. It offers balanced driving in rapidly changing weather conditions for passenger cars.***

## WINTER-MAX A1

## WL5

| Size | Load Index &Speed Rate | /XL | Labeling | | | | UPC |
|---|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade | |
| 185/55R15 | 86H | XL | E | C | 71 | )) | 6924590223363 |
| 195/55R15 | 85H | | E | C | 72 | )) | 6924590223370 |
| 195/50R15 | 82H | | E | C | 72 | )) | 6924590223387 |
| 215/65R16 | 98H | | C | C | 72 | )) | 6924590223394 |
| 205/60R16 | 96H | XL | C | C | 72 | )) | 6924590223400 |
| 235/60R16 | 100H | | C | C | 72 | )) | 6924590223417 |
| 215/60R16 | 99H | XL | C | C | 72 | )) | 6924590223424 |
| 225/60R16 | 102H | XL | C | C | 72 | )) | 6924590223431 |
| 195/55R16 | 87H | | E | C | 72 | )) | 6924590223448 |
| 205/55R16 | 91H | | C | C | 72 | )) | 6924590223455 |
| 215/55R16 | 97H | XL | C | C | 72 | )) | 6924590223462 |
| 225/55R16 | 99H | XL | C | C | 72 | )) | 6924590223479 |
| ★ 205/55R17 | 95V | XL | C | C | 71 | )) | 6924590224414 |
| 215/55R17 | 98V | XL | C | C | 72 | )) | 6924590223486 |
| 225/55R17 | 101V | XL | C | C | 72 | )) | 6924590223493 |
| 235/55R17 | 103V | XL | C | C | 72 | )) | 6924590223509 |
| 205/50R17 | 93V | XL | C | C | 72 | )) | 6924590223516 |
| 215/50R17 | 95V | XL | C | C | 72 | )) | 6924590223523 |
| 225/50R17 | 98V | XL | C | C | 72 | )) | 6924590223530 |
| 215/45R17 | 91V | XL | C | C | 71 | )) | 6924590224421 |
| 225/45R17 | 94V | XL | C | C | 72 | )) | 6924590223547 |
| ★ 235/45R17 | 97V | XL | C | C | 72 | )) | 6924590224438 |
| ★ 255/55R18 | 109V | XL | C | C | 72 | )) | 6924590224445 |
| ★ 225/50R18 | 99V | | C | C | 72 | )) | 6924590224452 |
| ★ 235/45ZR18 | 98V | XL | C | C | 72 | )) | 6924590225015 |
| 225/40R18 | 92V | XL | C | C | 72 | )) | 6924590223554 |
| 235/40R18 | 95V | XL | C | C | 72 | )) | 6924590223561 |
| 245/40R18 | 97V | XL | C | C | 72 | )) | 6924590223578 |
| ★ 235/55R19 | 105V | XL | C | C | 72 | )) | 6924590224483 |
| 255/40R19 | 100V | XL | C | C | 73 | )) | 6924590223585 |
| ★ 245/45R19 | 102V | XL | C | C | 72 | )) | 6924590224490 |
| ★ 225/35R19 | 88V | XL | C | C | 72 | )) | 6924590224506 |
| ★ 235/35R19 | 91V | XL | C | C | 72 | )) | 6924590224513 |
| ★ 255/35R19 | 96V | XL | C | C | 72 | )) | 6924590224520 |
| ★ 245/35R19 | 93V | XL | C | C | 72 | )) | 6924590224537 |
| ★ 285/50R20 | 116H | | C | C | 73 | )) | 6924590224544 |
| ★ 245/40R20 | 99V | XL | C | C | 72 | )) | 6924590224551 |
| ★ 275/40R20 | 106V | XL | C | C | 72 | )) | 6924590224568 |
| ★ 315/35R20 | 110V | XL | C | C | 73 | )) | 6924590224575 |
| ★ 295/40R21 | 111V | XL | C | C | 73 | )) | 6924590224582 |

★ Represents new specifications

# WINTERCROSS



## WINTERCROSS WL6

## Function Description

**Speed rate：Q/S/T**

**Section width：155-275**

**Rim：13'-20'**

**Ratio：45-70**

***The Soft Tread compound used in WINTERCROSS-WL6 to maintain good grip performance and precise handling performance on snowy and icy roads. The braking performance of WINTER CROSS WL6 is more excellent to ensure your driving safety.***



| | | | |
|---|---|---|---|
| Product Feature | The wide groove and asymmetrical pattern design | The Soft Tread compound and enhanced sidewall stiffness comprehensively | The reinforced bars and jagged design |
| Effect | bring excellent handling stability and outstanding drainage performance. | improve the performance of tyres on snowy and Icy roads | provide excellent braking performance |
| Customer Benefit | Drive safety | Better driving experience | Drive safety |

| Size | Load Index &Speed Rate | /XL | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade | UPC |
|---|---|---|---|---|---|---|---|
| 175/70R13 | 82Q | | E | C | 70 | )) | 6924590224773 |
| 175/70R14 | 88Q | XL | E | C | 70 | )) | 6924590224780 |
| 185/70R14 | 88Q | | E | C | 70 | )) | 6924590224797 |
| 155/65R14 | 75Q | | E | C | 70 | )) | 6924590224599 |
| 175/65R14 | 82Q | | E | C | 70 | )) | 6924590224803 |
| 185/65R14 | 90Q | XL | E | C | 70 | )) | 6924590224810 |
| 185/60R14 | 82Q | | E | C | 70 | )) | 6924590224827 |
| 185/65R15 | 88Q | | E | C | 70 | )) | 6924590224834 |
| 195/65R15 | 91Q | | E | C | 70 | )) | 6924590224841 |
| 205/65R15 | 94Q | | E | C | 70 | )) | 6924590224858 |
| 185/60R15 | 84Q | | E | C | 70 | )) | 6924590224865 |
| 195/60R15 | 104S | | E | C | 70 | )) | 6924590224872 |
| 195/55R15 | 85Q | | E | C | 70 | )) | 6924590224889 |
| 215/70R16 | 100Q | | E | C | 71 | )) | 6924590224896 |
| 215/65R16 | 98Q | | E | C | 71 | )) | 6924590224902 |
| 205/60R16 | 92Q | | E | C | 70 | )) | 6924590224919 |
| 215/60R16 | 99Q | XL | E | C | 71 | )) | 6924590224926 |
| 205/55R16 | 91S | | E | C | 70 | )) | 6924590224940 |
| 215/55R16 | 97Q | XL | E | C | 71 | )) | 6924590224933 |
| 225/55R16 | 99Q | XL | E | C | 71 | )) | 6924590224957 |
| 225/65R17 | 102S | | E | C | 71 | )) | 6924590224605 |
| 235/65R17 | 104S | | E | C | 71 | )) | 6924590224612 |
| 245/65R17 | 111S | XL | E | C | 71 | )) | 6924590224629 |
| 265/65R17 | 112S | | E | B | 72 | )) | 6924590224636 |
| 215/60R17 | 96S | | E | C | 71 | )) | 6924590224643 |
| 225/60R17 | 103S | XL | E | C | 71 | )) | 6924590224650 |
| 215/55R17 | 94S | | E | C | 71 | )) | 6924590224964 |
| 225/55R17 | 97S | | E | C | 71 | )) | 6924590224971 |
| 215/50R17 | 95S | XL | E | C | 71 | )) | 6924590224988 |
| 225/50R17 | 98S | XL | E | C | 71 | )) | 6924590224995 |
| 235/45R17 | 97S | XL | E | C | 71 | )) | 6924590225008 |
| 225/60R18 | 104S | XL | E | C | 71 | )) | 6924590224667 |
| 235/60R18 | 107S | XL | E | C | 71 | )) | 6924590224674 |
| 265/60R18 | 114S | XL | E | B | 72 | )) | 6924590224681 |
| 215/55R18 | 99S | XL | E | C | 71 | )) | 6924590224698 |
| 235/55R18 | 104S | XL | E | C | 71 | )) | 6924590224704 |
| 235/50R18 | 101S | XL | E | C | 71 | )) | 6924590224711 |
| 225/45R18 | 95S | XL | E | C | 71 | )) | 6924590224728 |
| 245/45R18 | 100S | XL | E | C | 71 | )) | 6924590224735 |
| 255/50R19 | 103T | | E | C | 72 | )) | 6924590224759 |
| 245/55R19 | 103S | | E | C | 71 | )) | 6924590224742 |
| 275/45R20 | 110T | XL | E | B | 72 | )) | 6924590224766 |

# WINTER FORCE




## WINTER FORCE

## WL7

## Function Description

**Speed rate**： Q/R/T


**Rim**： 14'-16'

**Section width**： 165-235

**Ratio**： 65-75

***The Winter Force tyre with powerful grip on rain snow and even ice road condition.Non studded winter tyre technology with the best safety characteristics.***
***WL7 specially design for commercial vehicle and vans.***

## Function Description



**Product Feature**

- Three longitudinal main groove patterns can optimize the position and volume ratio of the entire groove and pattern block, ensure better driving and braking forces on snowy roads.
- The T-shaped groove with a certain angle in the middle of pattern block can increases the groove volume and improve the ability of grip on snow.
- There is connecting block in the middle and shoulder is specially designed for connecting van tyre, which can enhance the connection rigidity between the pattern blocks, reduce the deformation of the block during braking, enhance the braking force of the tyre, ensures the safety and stability of the vehicle while driving.

| Size | Load Index &Speed Rate | Load Range | Ply Rating | Labeling | | | | UPC |
|---|---|---|---|---|---|---|---|---|
| | | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade | |
| 185R14LT | 102/100Q | D | 8PR | E | E | 70 | ) | 6924590223844 |
| 165/70R14C | 89/87R | C | 6PR | E | E | 70 | ) | 6924590223851 |
| 215/75R15LT | 106/103Q | D | 8PR | E | C | 71 | )) | 6924590223868 |
| 235/75R15LT | 116/113Q | E | 10PR | C | C | 71 | )) | 6924590223875 |
| 195/70R15C | 104/102R | D | 8PR | E | C | 71 | )) | 6924590223882 |
| 215/70R15C | 109/107R | D | 8PR | E | C | 71 | )) | 6924590224193 |
| 225/70R15C | 112/110R | D | 8PR | C | C | 71 | )) | 6924590224209 |
| 195/75R16C | 107/105T | D | 8PR | E | C | 71 | )) | 6924590224216 |
| 215/75R16C | 113/111R | D | 8PR | C | C | 71 | )) | 6924590224223 |
| 205/65R16C | 107/105R | D | 8PR | E | C | 71 | )) | 6924590224230 |
| 215/65R16C | 109/107R | D | 8PR | E | C | 71 | )) | 6924590224247 |
| 235/65R16C | 115/113R | D | 8PR | C | C | 71 | )) | 6924590224254 |

# WINTER-MAX S1




## WINTER-MAX S1

## WS1

## Function Description

**Speed rate：** Q/T/H

**Rim：** 13'-20'

**Section width：** 155-275


**Ratio：** 45-80

***The Winter-Max S1 tyre fit with stud provides excellent braking and acceleration grip and also superior grip in curves and when passing on both icy and snowy roads.***

| STANDARD STUDS | |
|---|---|
| EURO: | 8x10/2 |
| TSMI#: | TSMI #11 |
| LENGTH: | 10mm |
| Head Dia.: | 8mm |
| COLOR: | Silver |
| WEIGHT: | 2.0g |



## Function Description




| Size | Load Index &Speed Rate | /XL | Labeling | | | | Number of Studs | UPC |
|---|---|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade | | |
| 155/80R13 | 83Q | XL | E | E | 69 | )) | 146 | 6924590224001 |
| 175/70R13 | 82T | | E | E | 69 | )) | 156 | 6924590224018 |
| 175/65R14 | 82T | | E | E | 69 | )) | 156 | 6924590224025 |
| 175/65R14 | 86T | XL | E | E | 69 | )) | 156 | 6924590224032 |
| 195/65R15 | 91T | | E | E | 69 | ) | 200 | 6924590224049 |
| 195/65R15 | 95T | XL | E | E | 69 | ) | 200 | 6924590224056 |
| 205/55R16 | 91H | | E | E | 69 | ) | 200 | 6924590224063 |
| 205/55R16 | 94T | XL | E | E | 69 | ) | 200 | 6924590224070 |
| 225/65R17 | 102T | | E | E | 70 | )) | 212 | 6924590224087 |
| 235/65R17 | 104T | | E | E | 70 | )) | 212 | 6924590224094 |
| 225/45R17 | 94H | XL | E | E | 70 | )) | 212 | 6924590224100 |
| 225/55R17 | 101H | XL | E | E | 70 | )) | 212 | 6924590224117 |
| 225/50R17 | 98H | XL | E | E | 70 | )) | 212 | 6924590224124 |
| 225/40R18 | 92H | XL | E | E | 70 | )) | 212 | 6924590224131 |
| 225/55R18 | 102H | XL | E | E | 70 | )) | 212 | 6924590224148 |
| 235/60R18 | 107H | XL | E | E | 70 | )) | 212 | 6924590224155 |
| 225/45R18 | 91H | XL | E | E | 70 | )) | 212 | 6924590224162 |
| 225/45R18 | 95H | XL | E | E | 70 | )) | 212 | 6924590224179 |
| 275/55R20 | 117H | | E | E | 72 | )) | 212 | 6924590224186 |

# AUTOGREEN PASSENGER & LIGHT TRUCK STANDARD LIMITED WARRANTY

## 1.WHAT IS WARRANTED AND WHO IS ELIGIBLE UNDER THIS WARRANTY?

Best Choice International Trade Co., LTD., headquartered at 3rd Floor, North Anhua Building, No. 8 Yinghua West Street, Chaoyang District, Beijing, China 100029 (“Best Choice”), warrants to the original consumer tyre purchaser that all AUTOGREEN passenger and light truck tyres bought either directly or through an authorized AUTOGREEN dealer, which are mounted on cars or light trucks and become unserviceable for any reason within the manufacturer’ s control. AUTOGREEN consumer products are warranted to be free from defects in materials and workmanship subjected terms, conditions and limitations as stated below. If our examination of a warrant-able product determines that the product has failed due to defect in materials or workmanship, we will make a reasonable allowance toward the purchase price of a new product or other adjustment within our discretion. Adjustments will be made on a pro-rate basis determined by the amount of usage or service received from the product and will be based on the most recent purchase price (proof of purchase is required). This warranty is not transferable.

### TERMS, CONDITIONS AND LIMITATIONS

Under no circumstances is this limited warranty a representation that a tyre failure cannot occur. This limited warranty is only applicable to products sold and used on consumer vehicles.
Passenger tyres are under 4 years from date of production.
Light Truck tyres (LT designation) are under limited warranty if less than 4 years from date of production, or less than 3 years from date of purchase ( purchase proof is needed).
The life of the original usable tread has worn down to 2/32” remaining (worn down to the wear bar indicators in the tread grooves).

**A.**Within the first 2/32” of original usable tread, Best Choice will replace such tyre with a comparable AUTOGREEN new tyre free of charge. Applicable taxes on the new tyre and costs for mounting and balancing and any other service charges are payable by the consumer.

**B.**Beyond the first 2/32” of the original usable tread, a pro rate credit will be given toward the purchase of a comparable new AUTOGREEN tyre. Applicable taxes, costs of mounting and balancing and other service charges are payable by the consumer.

Example: Amount of credit will be calculated by the following formula:

CR = Remaining Tread Depth= 7 = 56% x $75.00= $42 Credit **
Original Usable Tread Depth 11

** refer to Adjustment credit Percentage table to obtain actual percentage amount when calculating.

**C.**Adjustment on out-of-round or out-of-balance conditions is allowed only during the first 1/32’’ of the original tread depth within the first 6 months from the date of purchase , supported with proof of the out-of-round or out-of-balance conditions for every passenger or light truck tyre. Best Choice will replace such tyre with a comparable new AUTOGREEN tyre free of charge. Applicable taxes on the new tyre and costs for mounting and balancing and any other service charges are payable by the consumer owner. A set of 4 tyres from the same vehicle will not be accepted for out-of-round or out-of-balance claims.

### WHAT IS NOT COVERED?

A.Tyre adjustments will be based on the remaining tread depth. Tyres worn to 2/32” tread depth or to the tread wear indicator bars are deemed to have served their full useful tread life and are not adjustable.
B.Tyre returned for out-of-round or ride disturbance conditions beyond 2/32” of wear will not be considered for adjustment.
C.Tyres marked “NA” (Non-Adjustable) specifically are excluded from this limited warranty.
D.The cost applicable to taxes, mounting, balancing and any other service charges are excluded.
E.Tyre returned as a set will not be considered. All tyres must have a warrantable condition.
F.Tyres that have been altered in any way including retreaded, altered and repaired improperly to Rubber manufactures Association standards or with section repairs or with self-valancing plug are excluded from the limited warranty.
G.Tyres without DOT number are excluded from the limited warranty.
H.Tyres with tyre fill, sealant, balancing materials, fillers inside the tyre, tyres notched, buffed, re-grooved or cut are excluded from the limited warranty.
I.Ozone or weather cracking after 2 years from the date of purchase
J.Tyre without production date.
K.Loss of time, or use, inconvenience, or any incidental or consequential damage.
L.Tyres that have been misapplied due to insufficient speed rating, undersized, or oversized.
M.Tyres that have become unserviceable due to chemical corrosion, vandalism, chains and flat spotting.
N.Tyres involved in race activities.
O.Uneven wear characteristics caused by mechanical irregularity in the vehicle such as misalignment, over inflation and under-inflation
P.Uneven or rapid wear more than 2/32nds across the tread on the same tyre
Q.Tyre damage or irregular wear due to road hazard, including punctures, cuts, impact break, bulge, snag, stone drill and car collision.
R.Continued use while run flat or acute under-inflation.
S.Improper use, without limitation, improper inflation, overloading, allocated to improper rim, tyre/wheel balance, worn suspension components, improper mounting or dismounting, misuse, misapplication and fire.

### OWNERS OBLIGATIONS

A.Present tyre to the AUTOGREEN dealer from whom you bought this tyre.
B.Complete and sign an AUTOGREEN adjustment claim form at AUTOGREEN dealer you bought the claimed tyres.
C.Pay the amounts due for a new tyre, less the amount of the credit, including taxes, mounting, balancing, valve stem if needed and any other service that you might require.

## 2. REPLACEMENT WARRANTY

If you receive a replacement tyre under the AUTOGREEN warranty, it will be covered by the manufacturer’ s warranty and the supplemental limited warranty that Best Choice International Trade Co. LTD gives on that tyre.
This is the only expressed warranty given by Best Choice International Trade Co. LTD applicable to AUTOGREEN replacement tyres. Best Choice does not make any other express warranty or implied warranty of merchant ability or fitness for a particular purpose.
Best Choice does not authorize any other people, including authorized dealers, to change this warranty or create any other obligation in connection with AUTOGREEN products. Best Choice will not do anything other than what is stated in this warranty if a defect is found to exist in an AUTOGREEN replacement radial tyre. All other remedies are excluded, including any obligation or liability on the part of Best Choice for consequential or incidental damages (such as loss of use of car, loss of time or inconvenience) arising out of defect.

### Legal Rights:

All implied warranties, included any warranty of merchantability or fitness for a particular purpose, are expressly limited to the duration of this written limited warranty. All obligations or liabilities for indirect, incidental or consequential damages are hereby excluded to the extent permitted by law, including economic loss, loss of profit, loss of vehicle, loss of time, inconvenience, personal injury or death. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply. This limited warranty gives the customer legal rights that may vary from state to state. This is the only express warranty applicable to items sold by Best Choice International Trade Co. LTD, and supersedes the terms of any previous warranty. Best Choice International Trade Co. LTD neither assumes nor authorizes anyone to assume for it any other warranty.

Best Choice International Trade Co. LTD

# NOTES