Shenzhen Landun Professional Monitors Electronic Technology Co.,Ltd

LED Indoor Poster Screen





Product Details

Shenzhen Landun Professional Monitors Electronic Technology Co.,Ltd
Add:5th Floor, Building A2, Longma Technology Industrial City, Shixin Community, Shiyan Street, Baoan shenzhen



With Wheels



Floor Standing



Hanging Installation



Storage:4GB
Can store 3000photos and 300 short videos at the same time.





one screen



two screens



three screens

Product Parameters

Shenzhen Landun Professional Monitors Electronic Technology Co.,Ltd
Add:5th Floor, Building A2, Longma Technology Industrial City, Shixin Community, Shiyan Street, Baoan shenzhen

Module Paramters	**Model**	LD-P2.5GI
	Pixel Pitch	P2.5
	Pixel Density	160000Dots/㎡
	Lamp Type	SMD2121
	Module Size	320mm*160mm
	Module Resolution	128*64
Machine Parameters	**Viewing Area(mm)**	640*1920
	Resolution	256*768
	Physical Dimension	652*1932*42mm
	Display Brightness	1000cd/m2
	Gray Scale	14-15
	Refresh Rate(HZ)	≥1920
	Display Method	Synchronous/Asynchronous
	Power Input Voltage	AC220V±10％ 50Hz（Three-phase five-wire system）
	Gross Weight	37KG

Application and Packing

Shenzhen Landun Professional Monitors Electronic Technology Co.,Ltd
Add:5th Floor, Building A2, Longma Technology Industrial City, Shixin Community, Shiyan Street, Baoan shenzhen



Theater



Exhibition



Hotel



Showcase







Wooden case



Flight case