43 inch outdoor smart display



IP65 waterproof and dustproof

14 hours battery life

Android player

Network update

1500 brightness

Tempered glass

Security lock

Prevent UV

Play menu settings

PnP Plug and play

All-round movement and rotation

Foldable design, blessed with special casters, can be operated flexibly by one person, saving time and effort.



Fixed lock lever

The advanced locking mechanism is adopted to ensure that the machine is placed firmly, and the movement and placement are simpler and more flexible.



Special Founction

IP65 rainproof and dustproof structure design

The structure of the shell is designed with IP65 protection level, which means that it can block rainwater and all debris, dust and other particles in the air, and can be protected from any damp weather. It has expanded the usable environment range.



Protection from
the weather!



Long running time

The integrated polymer lithium battery has completely changed the way you use digital signage.This commercial-grade thin battery solution provides you with more than 14 hours of working time.





14 hours

1500 brightness IPS screen

The high-brightness LCD panel used in this display is three times brighter than a home TV, making it an ideal choice for outdoor spaces.



IPS



Conventional Signage Display



Outdoor Digital Android Battery-A-Boards

Plug and play

Just load the images and videos onto the USB flash drive, insert it into the display, and wait for the content to be copied.Images and videos can be played in a continuous loop.

Support format: Video (MPG, AVI, MP4, RM, RMVB, TS), audio (MP3, WMA), picture (JPG, GIF, BMP, PNG), subtitle scrolling



videos images music h5



USB

Battery reminder

The device can clearly display the remaining power, which is convenient for arranging battery usage and charging time.





As strong as a golden stone, safe and worry-free

The all-aluminum frame, high-strength metal chassis and front tempered glass panel provide a solid backing and guarantee for the operating environment and service life of the machine.

Front tempered glass + full metal chassis







	Features	42.5 inch TFT-LCD	
Display	Resolution	1920x1080(FHD)	
	Viewable area(mm)	940.896(H)x 529.254(V)	
	Screen aspect ratio	16:9	
	Brightness(cd/m2)	1500	
	Color depth	16.7M	
	Viewing	178°	
	Contrast ratio	4000:1	
Main engine	Multimedia format	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA),Image(JPG, GIF, BMP, PNG)	
	Output resolution	1080x1920；(Backward compatible)	
	CPU	Dual core RAM Cortex-A53+ Dual core RAM Cortex-A73 CPU, CPU Frequency:1.55GHZ	
	GPU	MALI-G51 MP2，support FULL HDR	
	RAM	2GB DDR4 (Optional 3GB)	
	ROM	8GB NAND (Optional 16GB)	
	USB	USB2.0 HOST (x2)	
	LAN	10/100M Ethernet	
	Wi-Fi	802.1 1b/g/n	
	Operate system	Android8.0	
	Specker	8Ω 5W x2	
Baterry	Battery technology	Integrated polymer lithium battery	
	Charging time	7 hours	
	Battery life	14 hours	
	Battery capacity	43200mAh	
	Voltage	25.2V	
	Power	110W	
	Efficiency	1088.54Wh	
Dimensions	Product size(WxHxD mm)	1234x591x195	
	Packaging size(WxHxDmm)	1335x700x300	
	Net weight(kg)	38.16KG	
	Gross weight(kg)	< 46KG	
Use environment	Operating temperature	-20 ℃to 70 ℃	Maximum high temperature resistance
	Storage temperature	-30 ℃to 80 ℃	105°C
	Operating humidity	10% to 80%	
	Storage humidity	5% to 95%	
Accessories	Including	Remote control, instruction manual, charger and charging cable	