HARDSCAPE LIGHTS





Shorter mouting bracket



Wall Anchor

LT2701P

Specs

Part#	Size	Wattage	Voltage	CCT	Lumen	CRI
LT2701P-2W	Ø2.2*7”	2W	9-17V AC	2700K-6000K	200lm	85
LT2701P-3W	Ø2.2*7”	3W	9-17V AC	2700K-6000K	300lm	85
LT2701P-4W	Ø2.2*7”	4W	9-17V AC	2700K-6000K	400lm	85

Features

- Suitable for damp locations
- Rated for outdoor use in an enclosed fixture
- Operating temperature -4°F-122°F
- Dimmable with most magnetic transformer
- Fully potted electronics

Materials

Die-cast brass

Warranty

5 years warranty

LED Color Available

Red/Green/Blue/Amber

Lutou Technology Co,. LTD | info@lutou-tech.com | www.lutou-tech.com | +86-755-28716871

HARDSCAPE LIGHTS





Shorter mouting bracket



Wall Anchor

LT2701E

Specs

Part#	Size	Wattage	Voltage	CCT	Lumen	CRI
LT2701E-2W	Ø2.2*7”	2W	9-17V AC	2700K-6000K	200lm	85
LT2701E-3W	Ø2.2*7”	3W	9-17V AC	2700K-6000K	300lm	85
LT2701E-4W	Ø2.2*7”	4W	9-17V AC	2700K-6000K	400lm	85

Features

- Suitable for damp locations
- Rated for outdoor use in an enclosed fixture
- Operating temperature -4°F-122°F
- Dimmable with most magnetic transformer
- Fully potted electronics

Materials

Die-cast aluminum

Warranty

5 years warranty

LED Color Available

Red/Green/Blue/Amber

Lutou Technology Co,. LTD | info@lutou-tech.com | www.lutou-tech.com | +86-755-28716871

HARDSCAPE LIGHTS



LT2702A



LT2702B



LT2702C

Specs

Part#	Size	Wattage	Voltage	CCT	Lumen	CRI
LT2702A	Ø2.2*3”	0.5W	12V AC/DC	2700K-6000K	45lm	85
LT2702B	Ø2.2*7”	1.5W	12V AC/DC	2700K-6000K	100lm	85
LT2702C	Ø2.2*13”	2.5W	12V AC/DC	2700K-6000K	160lm	85

Features

- Suitable for damp locations
- Rated for outdoor use in an enclosed fixture
- Operating temperature -4°F-122°F
- Dimmable with most magnetic transformer
- Fully potted electronics

Materials

Die-cast aluminum

Warranty

3 years warranty

LED Color Available

Red/Green/Blue/Amber

Lutou Technology Co,. LTD | info@lutou-tech.com | www.lutou-tech.com | +86-755-28716871